# U.S. LARGE SYSTEMS USER REQUIREMENTS

1991

INPUT

## About INPUT

INPUT provides planning information, analysis, and recommendations for the information technology industries. Through market research, technology forecasting, and competitive analysis, INPUT supports client management in making informed decisions.

Subscription services, proprietary research/consulting, merger/acquisition assistance, and multiclient studies are provided to users and vendors of information systems and services. INPUT specializes in the software and services industry which includes software products, systems operations, processing services, network services, systems integration, professional services, turnkey systems, and customer services. Particular areas of expertise include CASE analysis, information systems planning, and outsourcing.

Many of INPUT's professional staff members have more than 20 years' experience in their areas of specialization. Most have held senior management positions in operations, marketing, or planning. This expertise enables INPUT to supply practical solutions to complex business problems.

Formed as a privately held corporation in 1974, INPUT has become a leading international research and consulting firm. Clients include more than 100 of the world's largest and most technically advanced companies.

#### North America

San Francisco 1280 Villa Street Mountain View, CA 94041-1194 Tel. (415) 961-3300 Fax (415) 961-3966

New York Atrium at Glenpointe 400 Frank W. Burr Blvd. Teaneck, NJ 07666 Tel. (201) 801-0050 Fax (201) 801-0441

Washington, D.C. INPUT, INC. 1953 Gallows Road, Suite 560 Vienna, VA 22182 Tel. (703) 847-6870 Fax (703) 847-6872

#### International

INPUT OFFICES

London INPUT LTD. Piccadilly House 33/37 Regent Street London SW1Y 4NF, England Tel. (071) 493-9335 Fax (071) 629-0179

Paris INPUT SARL 24, avenue du Recteur Poincaré 75016 Paris, France Tel. (33-1) 46 47 65 65 Fax (33-1) 46 47 69 50

Frankfurt INPUT LTD. Sudetenstrasse 9 D-6306 Langgöns-Niederkleen, Germany Tel. (0) 6447-7229 Fax (0) 6447-7327

Tokyo INPUT KK Saida Building, 4-6 Kanda Sakuma-cho, Chiyoda-ku Tokyo 101, Japan Tel. (03) 3864-0531 Fax (03) 3864-4114 NOVEMBER 1991

# U.S. LARGE SYSTEMS USER REQUIREMENTS 1991

# 



1280 Villa Street, Mountain View, California 94041-1194

Published by INPUT 1280 Villa Street Mountain View, CA 94041-1194 U.S.A.

#### **Customer Service Program (CSP)**

U.S. Large Systems User Requirements, 1991

Copyright ©1991 by INPUT. All rights reserved. Printed in the United States of America. No part of this publication may be reproduced or distributed in any form or by any means, or stored in a data base or retrieval system, without the prior written permission of the publisher.

FCNEW-1 • 414 • 1991

.

## Table of Contents

| Ι        | Introduction                     | I-1    |
|----------|----------------------------------|--------|
|          | A. Scope                         | I-1    |
|          | B. Methodology                   | I-2    |
|          | <b>C.</b> Interpretation of Data | I-4    |
|          | D. Data Presented                | I-4    |
| Π        | Large Systems Summary            | П-1    |
| Π        | Vendor Performance Data          | III-1  |
|          | A. Amdahl                        | III-1  |
|          | B. BULL                          | III-14 |
|          | <b>C.</b> IBM 309X               | III-27 |
|          | <b>D.</b> IBM 308X               | III-40 |
|          | E. NCR                           | III-53 |
| IV       | Summary Charts                   | IV-1   |
| Appendix | A. Questionnaire                 | A-1    |

i

## **Exhibits**

|             | User Sample by Vendor<br>User Sample by Industry Sector  | I-1<br>I-3 |
|-------------|--|------------|
|             | Contract Coverage—Large Systems                          | II-2       |
|             | Service Vendor Selection Criteria—Large Systems          | II-3       |
|             | Hardware Maintenance Provider—Large Systems              | II-4       |
| -4          | Reasons IMO Not Used—Large Systems                       | II-5       |
| <b>-4</b> A | Reasons for IMO Use—Large Systems                        | П-6        |
| -5          | Maintenance Contract Terms—Large Systems                 | II-7       |
| -6          | System Availability Performance Analysis—Large           | II-7       |
|             | Systems  |            |
|             | System Failure Rates—Large Systems                       | II-8       |
| -8          | Hardware Service Required versus Received—Large Systems  | II-9       |
| -9          | Software Maintenance Provider—Large Systems              | II-10      |
| -10         | System Software Maintenance Contract Terms—Large Systems | II-10      |
| -11         | System Software Problem Resolution—Large Systems         | II-11      |
|             | System Software Support Required versus Received—        | II-12      |
|             | Large Systems  |            |
| -13         | Ancillary Services—Large Systems                         | II-13      |
|             | Multivendor Services—Large Systems                       | II-14      |
| -15         | Discounts—Large Systems                                  | II-14      |
| III -A-1    | Contract Coverage—Amdahl                                 | III-2      |
|             | Service Vendor Selection Criteria—Amdahl                 | III-3      |
|             | Hardware Maintenance Provider—Amdahl                     | III-4      |
| -A-4        | Reasons IMO Not Used—Amdahl                              | III-5      |
| -A-5        | Maintenance Contract Terms—Amdahl                        | III-6      |
| -A-6        | System Availability Performance Analysis—Amdahl          | III-6      |
| -A-7        | System Failure Rates—Amdahl                              | III-7      |
| -A-8        | Hardware Service Required versus Received—Amdahl         | III-8      |
| -A-9        | Software Maintenance Provider—Amdahl                     | III-9      |

.

III-9

## Exhibits (Continued)

| Ш | -A-10        | System Software Maintenance Contract Terms—Amdahl             | III-10 |
|---|--------------|---|--------|
|   | -A-11        | System Software Problem Resolution—Amdahl                     | III-10 |
|   | -A-12        | System Software Support Required versus Received—<br>Amdahl   | III-11 |
|   | -A-13        | Ancillary Services—Amdahl                                     | III-12 |
|   |              | Multivendor Services—Amdahl                                   | III-13 |
|   | -A-15        | Discounts—Amdahl  | III-13 |
|   | -B-1         | Contract Coverage—BULL  | III-15 |
|   | -B-2         | Service Vendor Selection Criteria—BULL                        | III-16 |
|   | -B-3         | Hardware Maintenance Provider—BULL                            | III-17 |
|   | -B-4         | Reasons IMO Not Used—BULL                                     | III-18 |
|   | -B-5         | Maintenance Contract Terms—BULL                               | III-19 |
|   | - <b>B-6</b> | System Availability Performance Analysis—BULL                 | III-19 |
|   | - <b>B-7</b> | System Failure Rates—BULL                                     | III-20 |
|   | - <b>B-8</b> | Hardware Service Required versus Received—BULL                | III-21 |
|   | -B-9         | Software Maintenance Provider—BULL                            | III-22 |
|   | -B-10        | System Software Maintenance Contract Terms—BULL               | III-22 |
|   | -B-11        | System Software Problem Resolution—BULL                       | III-23 |
|   | -B-12        | System Software Support Required versus Received—<br>BULL     | III-24 |
|   | -B-13        | Ancillary Services—BULL                                       | III-25 |
|   | -B-14        | Multivendor Services—BULL                                     | III-26 |
|   | -B-15        | Discounts—BULL  | III-26 |
|   | -C-1         | Contract Coverage—IBM 309X                                    | III-28 |
|   | -C-2         | Service Vendor Selection Criteria—IBM 309X                    | III-29 |
|   | -C-3         | Hardware Maintenance Provider—IBM 309X                        | III-30 |
|   | -C-4         | Reasons IMO Not Used—IBM 309X                                 | III-31 |
|   |              | Maintenance Contract Terms—IBM 309X                           | III-32 |
|   |              | System Availability Performance Analysis—IBM 309X             | III-32 |
|   |              | System Failure Rates—IBM 309X                                 | Ш-33   |
|   | -C-8         | Hardware Service Required versus Received—<br>IBM 309X        | III-34 |
|   | -C-9         | Software Maintenance Provider—IBM 309X                        | III-35 |
|   | -C-10        | System Software Maintenance Contract Terms—<br>IBM 309X       | III-35 |
|   | -C-11        | System Software Problem Resolution—IBM 309X                   | III-36 |
|   | -C-12        | System Software Support Required versus Received—<br>IBM 309X | III-37 |
|   | -C-13        | Ancillary Services—IBM 309X                                   | III-38 |
|   |              | Multivendor Services—IBM 309X                                 | III-39 |
|   |              |   |        |

# Exhibits (Continued)

Ш

| -C-15 | Discounts—IBM 309X  | III-39         |
|-------|---|----------------|
| -D-1  | Contract Coverage—IBM 308X                                    | III-40         |
|       | Service Vendor Selection Criteria—IBM 308X                    | III-41         |
|       | Hardware Maintenance Provider—IBM 308X                        | III-42         |
|       | Reasons IMO Not Used—IBM 308X                                 | III-43         |
|       | Reasons for IBM Use—IBM 308X                                  | I <b>∏</b> -44 |
| -D-5  | Maintenance Contract Terms—IBM 308X                           | III-45         |
| -D-6  | System Availability Performance Analysis—IBM 308X             | III-45         |
|       | System Failure Rates—IBM 308X                                 | III-46         |
|       | Hardware Service Required versus Received—<br>IBM 308X        | III-47         |
| -D-9  | Software Maintenance Provider—IBM 308X                        | I <b>∏-</b> 48 |
| -D-10 | System Software Maintenance Contract Terms—<br>IBM 308X       | III-48         |
| -D-11 | System Software Problem Resolution—IBM 308X                   | III-49         |
| -D-12 | System Software Support Required versus Received—<br>IBM 308X | III-50         |
| -D-13 | Ancillary Services—IBM 308X                                   | III-51         |
| -D-14 | Multivendor Services—IBM 308X                                 | III-52         |
| -D-15 | Discounts—IBM 308X  | III-52         |
| -E-1  | Contract Coverage—NCR   | III-54         |
| -E-2  | Service Vendor Selection Criteria—NCR                         | ІП-55          |
| -E-3  | Hardware Maintenance Provider—NCR                             | III-56         |
| -E-4  | Reasons IMO Not Used—NCR                                      | III-57         |
| -E-5  | Maintenance Contract Terms—NCR                                | III-58         |
| -E-6  | System Availability Performance Analysis—NCR                  | III-58         |
| -E-7  |   | III-59         |
| -E-8  | Hardware Service Required versus Received—NCR                 | III-60         |
|       | Software Maintenance Provider—NCR                             | III-61         |
| -E-10 |   | III-61         |
| -E-11 |   | III-62         |
| -E-12 | System Software Support Required versus Received—<br>NCR      | III-63         |
| -E-13 | Ancillary Services—NCR  | III-64         |
|       | Multivendor Services—NCR                                      | III-65         |
| -E-15 | Discounts—NCR   | III-65         |

# Exhibits (Continued)

IV

| -1  | Large Systems Vendor Performance—              | IV-2 |
|-----|--|------|
|     | System Interruptions                           |      |
| -2  | Large Systems Vendor Performance—              | IV-2 |
|     | System Availability                            |      |
| -3  | Large Systems Vendor Performance—Response Time | IV-3 |
|     | Large Systems Vendor Performance—Repair Time   | IV-3 |
|     | Large Systems Vendor Performance—              | IV-4 |
|     | System Availability Satisfaction               |      |
| -6  | Large Systems Vendor Performance—              | IV-5 |
|     | Response Time Satisfaction                     |      |
| -7  | Large Systems Vendor Performance—              | IV-6 |
|     | Repair Time Satisfaction                       |      |
| -8  | Large Systems Vendor Performance—              | IV-6 |
|     | Hardware Maintenance Required versus Received  |      |
| -9  | Large Systems Vendor Performance—              | IV-7 |
|     | Hardware Maintenance Satisfaction              |      |
| -10 | Large Systems Vendor Performance—              | IV-7 |
|     | Software Support Required versus Received      |      |
| -11 | Large Systems Vendor Performance—              | IV-8 |
|     | Software Support Satisfaction                  | •    |
|     |  |      |

V

| TITLE          |                                    |
|----------------|------------------------------------|
| DATE<br>LOANED | BORROWER'S NAME                    |
|                |                                    |
| ·              |                                    |
|                |                                    |
|                |                                    |
|                |                                    |
|                |                                    |
| BQ             | CAT. No. 23-108 PRINTED IN U. S. A |

© 1991 by INPUT. Reproduction Prohibited.

U.S. LARGE System FENER USER REQUIREMENTS 6.2 LEGI



# Introduction



### Introduction

This report presents large systems users' requirements for and satisfaction with the service and support they receive from their service vendor. The report also analyzes users' requirement for services ancillary to the actual maintenance of the computer system.

### A

Scope

The report examines the service requirements of users of the following large systems: Amdahl, BULL, IBM 308X, IBM 309X, and NCR. Exhibit I-1 provides a breakdown of the manufacturers included in the sample.

#### EXHIBIT I-1

| Vendor       | Completed<br>Interviews |
|--------------|-------------------------|
| Amdahl       | 35                      |
| BULL         | 33                      |
| IBM 308X     | 30                      |
| IBM 309X     | 30                      |
| NCR          | 35                      |
| Total Sample | 163                     |

I-1

Each vendor/product analysis includes:

- Service contract coverage, both days per week and hours per day
- · Users' criteria for selecting a service vendor
- Service contract type
- Type of vendor providing service
- · Perceptions of independent maintenance organizations
- Traditional areas of system availability, response time, repair time and aspects of hardware service
- Systems software support areas, type of vendor, type of contract
- · Aspects of systems software support
- Response/fix time for software problems
- Opportunities for ancillary services
- Current use of discounts and willingness of users to investigate discounts not currently received

The report is presented in four chapters. Chapter I provides an introduction to the report, the scope, methodology, interpretation of data, and data presentation. Chapter II is an overview of the large systems sample. Chapter III provides individual analyses by product vendor. Wherever possible, comparisons will be made to the information presented in the report U.S. Large Systems User Requirements, 1990, or to the sample as a whole. Chapter IV provides comparative exhibits, examining each area by vendor. Appendix A provides the questionnaire used for the user research.

#### B

#### Methodology

For this report, INPUT surveyed 163 users of large systems in the U.S as to their requirement for and satisfaction with the service they receive. Each interview was conducted by telephone or fax using the questionnaire in Appendix A. INPUT targets the appropriate systems executive with responsibility for coordinating the maintenance of the system. Typical titles include Data Processing Manager, IS Director or Manager, Data Center Manager, or Vice President of IS. The companies interviewed represent a variety of industries, as shown in Exhibit I-2. EXHIBIT I-2

User Sample by Industry Sector

| Industry               | Respondents |
|------------------------|-------------|
| Manufacturing          | 38          |
| Distribution           | 12          |
| Transportation         | 4           |
| Utilities              | 5           |
| Banking/Finance        | 16          |
| Education              | 18          |
| Insurance              | 7           |
| Telecommunications     | 1           |
| Services               | 22          |
| Medical                | 12          |
| Federal Government     | 12          |
| State/Local Government | 12          |
| Other                  | 4           |
| Total                  | 163         |

INPUT emphasizes the value of telephone interviews over other types of research-gathering techniques because of the ability of the interviewer to focus the respondent and control the source of information and the size of the sample. The questionnaire was faxed to many respondents, who wished to see the full questionnaire before answering it.

After the data gathering process was complete, the information is entered into a dBase III Plus (Ashton-Tate) data base and analyzed using ABstat (Anderson Bell). Quality control measures are applied at each step to ensure data integrity.

#### С

Interpretation of Data

Mean values are used throughout the tabulated data presented in this report. These means refer to the mean value of user ratings for specific aspects of service performance, or the mean value of a range of service performance aspects required or received by the respondents.

In this report, the ratings for service requirements ranged from 1 to 10, with 1 equal to a very low requirement or satisfaction and 10 being an extremely high requirement or satisfaction. In some cases, 0 was used to denote no requirement for service or a service not received at all from the vendor.

For the purposes of this report, the following definitions apply:

- System availability refers to the time the system is actually available for processing, disregarding non-critical peripherals outages or normal preventative maintenance down time.
- Response time is the time between the placement of a service call to the vendor and the arrival of the service engineer on-site.
- Repair time relates to the time the service engineer spends working on the system until it is fully operational.
- Difference is a comparison of the mean service required with the mean service received. A negative number denotes a shortfall in the service received. A positive number denotes the mean service received exceeding the mean service required.
- Percent satisfied is based on a comparison of whether the service received met or exceeded service required for each individual respondent. A count is made of how many individuals had their requirements met or exceeded for that particular service requirement, which converts to the percent satisfied.

#### D

#### Data Presented

For each of the six user sections (Large Systems, Amdahl, BULL, IBM 308X, IBM 309X, and NCR) of this report, the following fifteen exhibits will be presented:

Exhibit 1 - Contract Coverage presents the days per week and hours per day of maintenance coverage as reported by the respondents.

Exhibit 2 - Service Vendor Selection Criteria analyzes the importance of certain criteria in selecting a service vendor.

Exhibit 3 - *Hardware Maintenance Provider* presents the reported sources of service used by the sample to provide required maintenance on their hardware. Multiple sources of hardware maintenance service are allowed.

Exhibit 4 - *Reasons IMO Not Used* present the reasons why users do not use an IMO as part of their maintenance plan for equipment.

NOTE: When applicable, a special Exhibit 4A (*Reasons for IMO Use*) is included to describe issues relating to why users have an independent maintenance organization as part of their maintenance plan.

Exhibit 5 - *Maintenance Contract Terms* provides information on the length of contract terms or types of maintenance contracts held by the sample.

Exhibit 6 - System Availability Performance Analysis examines the mean system availability, response time and repair time required by the sample; the system availability, response, and repair times received; and the percent of the users having their requirements met or exceeded.

Exhibit 7 - System Failure Rates are presented, giving the mean number of failures per year, and the mean percentages for the approximate causes of the failures.

Exhibit 8 - *Hardware Service Required versus Received* examines six individual aspects and overall hardware maintenance service to determine the level of service required, the level received, satisfaction with service and the percent of respondents having their requirements met or exceeded.

Exhibit 9 - *Software Maintenance Provider* presents the sources used by the sample to provide system software support. Multiple sources are recorded where applicable.

Exhibit 10 - System Software Maintenance Contract Terms presents the types of service contracts held by the respondents to support system software.

Exhibit 11 - System Software Problem Resolution provides information on the resolution of system software problems, on-site and over the phone. The exhibit also covers the percent of respondents that had their software support requirements met or exceeded in the issues of response time and fix time on software problems. Exhibit 12 - System Software Support Required versus Received examines six aspects and overall system software support to determine the level of support required by the respondents, the level received, mean satisfaction with system software support and the percent of users having their requirements met or exceeded.


Exhibit 13 - Ancillary Services presents information on the current market for services ancillary to the maintenance function and the possibility for the expansion of these services. Information is presented on the number of respondents currently receiving these services, their mean requirement, mean level received, and the percent of respondents having their requirements met or exceeded.


Exhibit 14 - *Multivendor Services* examines the percent of respondents receiving multivendor services on their CPU, peripherals, and network products. The level of interest in multivendor services is also presented.

Exhibit 15 - *Discounts* presents the percent of respondents currently receiving discounts for reduced levels of service or special contractual arrangements and the interest in these discounts by those not receiving them at this time.



# Large Systems Summary





## Large Systems Summary


The overall 1991 large system sample consists of 163 users of Amdahl, BULL, IBM 308X, IBM 309X, and NCR large systems users. Data for the user group as a whole is presented with the following key highlights:

- A greater percentage of the users reported extended 7 X 24 coverage for their large systems than in past years.
- Service quality issues rated higher in mean importance when selecting a service vendor. In the mid- to late-1980s, price was considered more important; it is now ranking 7 out of 12 criteria, showing a shift to quality of service.
- A small number of users used an IMO as part of their service scheme, 11 out of 163. The main reasons an IMO was used were lower cost and single-source service.
- Overall there appears to be more of a requirement for ancillary services. Over 50% of the respondents expressed some level of requirement for ancillary services, with 38% to 68% of the users reported receiving some level of service. Users receiving service equal to or better than their requirement ranged from 53% to 91%.

EXHIBIT II-1

|   | Percent of    | of Sample      |
|---|---------------|----------------|
|   | 1991          | 1990           |
| Days Covered  |               |                |
| Monday - Friday<br>Monday - Saturday<br>Monday - Sunday | 32<br>0<br>68 | 47<br>4<br>49  |
| Hours Covered   |               |                |
| 1 - 9<br>10 - 16<br>17 - 24                             | 21<br>8<br>71 | 35<br>13<br>52 |

#### EXHIBIT II-2



II-3

.

EXHIBIT II-3

### Hardware Maintenance Provider Large Systems

| Provider                                | Percent of<br>Mentions | Primary |  |  |
|---|------------------------|---------|--|--|
| Manufacturer                            | 93                     | 91      |  |  |
| Dealer/Distributor                      | 5                      | 2       |  |  |
| Independent Maintenance<br>Organization | 7                      | 7       |  |  |
| In-House                                | 2                      | 0       |  |  |
| Other                                   | 0                      | 0       |  |  |
| Multiple Responses Allowed.             |                        |         |  |  |







EXHIBIT II-4A



.

| INPU | Т |
|------|---|
|------|---|


| EXHIBIT II-5 | Maintenance Con<br>Large Syst |                        |
|--------------|-------------------------------|------------------------|
|              | Hardware<br>Maintenance       | Percent of Respondents |
|              | Warranty                      | 3                      |
|              | Five Years                    | 14                     |
|              | Three Years                   | 14                     |
|              | One Year                      | 52                     |
|              | Time and Materials            | 2                      |
|              | Other                         | 14                     |
|              | None                          | 1                      |

EXHIBIT II-6

### System Availability Performance Analysis Large Systems

| Required | Mean<br>Received | Percent<br>Satisfied |
|----------|------------------|----------------------|
| 97.1     | 97.9             | 70                   |
| 1.9      | 1.6              | 89                   |
| 2.8      | 2.6              | 90                   |
|          | 97.1<br>1.9      | 97.1 97.9<br>1.9 1.6 |





#### EXHIBIT II-8

|                                   | Mean     | Mean     | Mean         | Percent   |
|-----------------------------------|----------|----------|--------------|-----------|
|                                   | Required | Received | Satisfaction | Satisfied |
| Spares Availability               | 8.8      | 8.0      | 8.3          | 60        |
| Engineer Skills                   | 9.0      | 8.6      | 8.8          | 74        |
| Documentation of<br>Maintenance   | 7.1      | 7.3      | 8.1          | 84        |
| Help Desk Support                 | 7.6      | 7.4      | 7.8          | 79        |
| Remote Diagnostics                | 7.4      | 7.5      | 7.8          | 81        |
| Real-time Software<br>Diagnostics | 6.9      | 6.8      | 7.3          | 83        |
| Overall Hardware<br>Maintenance   | 9.1      | 8.8      | 8.9          | 73        |

e

| EXHIBIT | 11-9 |
|---------|------|
|---------|------|

### Software Maintenance Provider Large Systems

| Provider                        | Percent of<br>Mentions |
|---------------------------------|------------------------|
| Hardware Manufacturer           | 82                     |
| Other Hardware Service Provider | 13                     |
| Software Product Vendor         | 24                     |
| Value-Added Reseller (VAR)      | 5                      |
| In-House                        | 53                     |
| Other                           | 5                      |
| Multiple Responses Allowed.     |                        |

#### EXHIBIT II-10

### System Software Maintenance Contract Terms Large Systems

| Software<br>Maintenance | Percent of Respondents |
|-------------------------|------------------------|
| Included in License Fee | 35                     |
| Three-Year              | 3                      |
| One-Year                | 34                     |
| Custom                  | 10                     |
| None                    | 6                      |
| Don't Know              | 12                     |

| EX⊦ | IBIT | 11-11 |
|-----|------|-------|
|     |      |       |

### System Software Problem Resolution Large Systems

| Solved by Phone (%)<br>Elapsed Time (hrs.) | 69<br>8.4 |
|--|-----------|
| Other Problems                             |           |
| Response Time                              |           |
| Required (mean hrs.)                       | 9.4       |
| <ul> <li>Received (mean hrs.)</li> </ul>   | 9.2       |
| <ul> <li>Percent Satisfied</li> </ul>      | 81        |
| Fix Time                                   |           |
| Required (mean hrs.)                       | 6.0       |
| <ul> <li>Received (mean hrs.)</li> </ul>   | 7.3       |
| <ul> <li>Percent Satisfied</li> </ul>      | 88        |

#### EXHIBIT II-12

### System Software Support Required versus Received Large Systems

|                             | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction | Percent<br>Satisfied |
|-----------------------------|------------------|------------------|----------------------|----------------------|
| Engineer Skills             | 8.6              | 7.8              | 8.1                  | 60                   |
| Documentation               | 8.3              | 7.4              | 7.8                  | 55                   |
| Software Installation       | 7.7              | 7.3              | 7.8                  | 62                   |
| Provision of Updates        | 8.0              | 7.7              | 7.9                  | 75                   |
| Operational Training        | 6.8              | 6.1              | 6.7                  | 62                   |
| Software Remote<br>Support  | 7.6              | 7.1              | 7.5                  | 66                   |
| Software Support<br>Overall | 8.6              | 7.8              | 8.1                  | 59                   |

-

#### EXHIBIT II-13

| Ancillary Services<br>Large Systems |  |                           |                           |                      |  |
|-------------------------------------|--|---------------------------|---------------------------|----------------------|--|
|                                     | Number of<br>Mentions<br>Currently<br>Contracted | Mean<br>Level<br>Required | Mean<br>Level<br>Received | Percent<br>Satisfied | Number of<br>Mentions<br>Not Receiving<br>But Required |
| Configuration Planning              | 95   | 6.5                       | 7.3                       | 78                   | 25   |
| Capacity Planning                   | 86   | 6.6                       | 6.7                       | 60                   | 29   |
| Environmental Planning              | 88   | 6.0                       | 6.7                       | 78                   | 30   |
| Cabling                             | 92   | 6.5                       | 7.2                       | 87                   | 27   |
| Software Evaluation                 | 75   | 6.0                       | 5.9                       | 69                   | 23   |
| Maintenance-Related<br>Training     | 89   | 5.9                       | 6.3                       | 80                   | 26   |
| Install/De-install/Moves            | 112  | 7.5                       | 8.0                       | 91                   | 19   |
| Consulting                          | 95   | 6.0                       | 6.3                       | 75                   | 18   |
| Network Planning                    | 72   | 6.2                       | 6.3                       | 59                   | 24   |
| Network Management                  | 63   | 5.8                       | 5.9                       | 59                   | 25   |
| Disaster Recovery                   | 68   | 6.6                       | 6.1                       | 67                   | 27   |
| Facilities Management               | 46   | 4.8                       | 5.0                       | 64                   | 22   |
| Problem Management                  | 70   | 6.1                       | 6.3                       | 65                   | 24   |
| Applications Software<br>Support    | 74   | 6.4                       | 6.3                       | 53                   | 21   |

e

| EXHIBIT II-14 | Multivendor Services<br>Large Systems |                      |                            |  |
|---------------|---------------------------------------|----------------------|----------------------------|--|
|               | Service on Other<br>Manufacturers'    | Percent<br>Receiving | Interest in<br>Three Years |  |
|               | CPUs                                  | 9                    | 2.1                        |  |
|               | Peripherals                           | 21                   | 2.4                        |  |
|               | Network Products                      | 18                   | 2.5                        |  |
|               |                                       | Level of             | Interest                   |  |
|               | Single Point of Contact               | 3.4                  |                            |  |

#### EXHIBIT II-15

### Discounts Large Systems

|                                      | Percent<br>Receiving | Mean<br>Willingness<br>to Receive |
|--------------------------------------|----------------------|-----------------------------------|
| Multiyear                            | 39                   | 4.1                               |
| Prepayment                           | 23                   | 4.0                               |
| Call Screening/Problem<br>Management | 20                   | ·4.1                              |
| Deferred Response                    | 10                   | 3.0                               |



# Vendor Performance Data





# Vendor Performance Data

Chapter III presents the individual vendor/product analyses for Amdahl, BULL, IBM 308X, IBM 309X, and NCR large systems.

Amdahl


The Amdahl sample consisted of 35 users of the Amdahl 58XX and 59XX large systems. In the analysis of the Amdahl information, the following points are noteworthy:

- Service issues of quality, technical expertise, spare parts, and system availability rated highest in terms of evaluating service vendors. Price, which had been important in past years, appears to be of less importance.
- A relatively high percent (53%) of respondents reported having only a one-year contract with their service vendor, providing an opportunity for other vendors to court them on maintenance services.
- System availability seems to be just slightly less than the requirements of the users, with only 65% of the users receiving the required level of systems availability.
- The level of service for spares availability appears to have decreased, while the level required stayed about the same. The percent of respondents satisfied with spares availability is lower than that for other aspects of hardware service.
- The use of ancillary services from maintenance vendors has increased from the 1990 sample. Users report receiving levels of service meeting or exceeding their requirements for nine out of fourteen ancillary services.
- Multivendor services do not appear to have a great deal of importance with the Amdahl sample, with less than 17% of the respondents receiving any type of multivendor services.

 $\mathbf{x}$ 

| EXHIBIT III-A-1 | EXHIB | IT II | I-A-1 |
|-----------------|-------|-------|-------|
|-----------------|-------|-------|-------|


|   | Percent of Sample |              |
|---|-------------------|--------------|
|   | 1991              | 1990         |
| Days Covered  |                   |              |
| Monday - Friday<br>Monday - Saturday<br>Monday - Sunday | 3<br>0<br>97      | 7<br>0<br>93 |
| Hours Covered   |                   |              |
| 1 - 9<br>10 - 16<br>17 - 24                             | 0<br>0<br>100     | 7<br>0<br>93 |



# Hardware Maintenance Provider Amdahl

| Mentions | Primary            |
|----------|--------------------|
| 100      | 100                |
| 3        | 0                  |
| 0        | 0                  |
| 0        | 0                  |
| 0        | 0                  |
|          | 100<br>3<br>0<br>0 |





| EXHIBIT III | -A-5 |
|-------------|------|
|-------------|------|

# Maintenance Contract Terms Amdahl


| Hardware<br>Maintenance | Percent of<br>Respondents |
|-------------------------|---------------------------|
| Warranty                | 3                         |
| Five Years              | 3                         |
| Three Years             | 24                        |
| One Year                | 53                        |
| Time and Materials      | 0                         |
| Other                   | 17                        |
| None                    | 0                         |

## EXHIBIT III-A-6

# System Availability Performance Analysis Amdahl

|                         | Mean<br>Required | Mean<br>Received | Percent<br>Satisfied |
|-------------------------|------------------|------------------|----------------------|
| System Availability (%) | 97.8             | 97.7             | 65                   |
| Response Time (hrs.)    | 1.4              | 1.2              | 93                   |
| Repair Time (hrs.)      | 2.0              | 2.2              | 93                   |





|                                   | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction | Percent<br>Satisfied |
|-----------------------------------|------------------|------------------|----------------------|----------------------|
| Spares Availability               | 8.9              | 8.2              | 8.4                  | 65                   |
| Engineer Skills                   | 8.9              | 8.9              | 9.0                  | 88                   |
| Documentation of<br>Maintenance   | 7.4              | 7.8              | 8.1                  | 85                   |
| Help Desk Support                 | 7.7              | 8.1              | 7.9                  | 91                   |
| Remote Diagnostics                | 8.2              | 8.2              | 8.2                  | 88                   |
| Real-time Software<br>Diagnostics | 6.9              | 7.0              | 7.5                  | 94                   |
| Overall Hardware<br>Maintenance   | 9.1              | 8.9              | 9.0                  | 82                   |

## Software Maintenance Provider Amdahl

| Percent of<br>Mentions |
|------------------------|
| 62                     |
| 56                     |
| 36                     |
| 4                      |
| 75                     |
| 8                      |
|                        |

|--|

## System Software Maintenance Contract Terms Amdahl

| Software<br>Maintenance | Percent of Respondents |
|-------------------------|------------------------|
| Included in License Fee | 29                     |
| Three-Year              | 9                      |
| One-Year                | 29                     |
| Custom                  | 11                     |
| None                    | 11                     |
| Don't Know              | 11                     |

## EXHIBIT III-A-11

# System Software Problem Resolution Amdahl

| Solved by Phone (%)<br>Elapsed Time (hrs.) | 58<br>9.0 |
|--|-----------|
| Other Problems                             |           |
| Response Time                              |           |
| Required (mean hrs.)                       | 8.5       |
| <ul> <li>Received (mean hrs.)</li> </ul>   | 5.4       |
| <ul> <li>Percent Satisfied</li> </ul>      | 92        |
| Fix Time                                   |           |
| <ul> <li>Required (mean hrs.)</li> </ul>   | 5.1       |
| <ul> <li>Received (mean hrs.)</li> </ul>   | 4.9       |
| <ul> <li>Percent Satisfied</li> </ul>      | 100       |

# System Software Support Required versus Received Amdahl

|                             | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction | Percent<br>Satisfied |
|-----------------------------|------------------|------------------|----------------------|----------------------|
| Engineer Skills             | 8.4              | 8.0              | 8.0                  | 66                   |
| Documentation               | 8.4              | 7.6              | 7.8                  | 55                   |
| Software Installation       | 7.2              | 7.3              | 7.9                  | 67                   |
| Provision of Updates        | 7.7              | 8.0              | 8.0                  | 81                   |
| Operational Training        | 6.2              | 6.3              | 6.6                  | 71                   |
| Software Remote<br>Support  | 6.7              | 6.3              | 6.6                  | 7                    |
| Software Support<br>Overall | 9.0              | 8.0              | 8.1                  | 56                   |

| Ancillary Services<br>Amdahl     |  |               |                           |                      |  |
|----------------------------------|--|---------------|---------------------------|----------------------|--|
|                                  | Number of<br>Mentions<br>Currently<br>Contracted | Mean<br>Level | Mean<br>Level<br>Received | Percent<br>Satisfied | Number of<br>Mentions<br>Not Receiving<br>But Required |
| Configuration Planning           | 25   | 6.1           | 7.1                       | 88                   | 4  |
| Capacity Planning                | 21   | 6.3           | 6.3                       | 70                   | 4  |
| Environmental Planning           | 21   | 6.1           | 7.2                       | 91                   | 5  |
| Cabling                          | 23   | 6.6           | 7.6                       | 91                   | 3  |
| Software Evaluation              | 14   | 5.1           | 5.0                       | <sup>.</sup> 71      | 4  |
| Maintenance-Related<br>Training  | 20   | 5.9           | 6.9                       | 90                   | 3  |
| Install/De-install/Moves         | 25   | 7.6           | 7.9                       | 88                   | 2  |
| Consulting                       | 26   | 6.0           | 6.5                       | 89                   | 1  |
| Network Planning                 | 16   | 5.8           | 5.7                       | 63                   | 3  |
| Network Management               | 14   | 5.4           | 5.5                       | 79                   | З  |
| Disaster Recovery                | 14   | 5.8           | 4.9                       | 71                   | 4  |
| Facilities Management            | 7  | 5.1           | 4.3                       | 86                   | 3  |
| Problem Management               | 14   | 6.5           | 6.7                       | 71                   | 3  |
| Applications Software<br>Support | 9  | 6.3           | 6.3                       | 67                   | 6  |

| EXHIBIT III-A-14 |  | Multivendor Services<br>Amdahl |                                   |  |  |
|------------------|--|--------------------------------|-----------------------------------|--|--|
|                  | Service on Other<br>Manufacturers'         | Percent<br>Receiving           | Interest in<br>Three Years        |  |  |
|                  | CPUs                                       | 9                              | 2.0                               |  |  |
|                  | Peripherals                                | 17                             | 2.3                               |  |  |
|                  | Network Products                           | 17                             | 2.4                               |  |  |
|                  | Level of Interest                          |                                |                                   |  |  |
|                  | Single Point of Contact 2.7                |                                |                                   |  |  |
|                  | Note: Scale 1 - 5, 1 = Lowest, 5 = Highest |                                |                                   |  |  |
| EXHIBIT III-A-15 | Discounts<br>Amdahl                        |                                |                                   |  |  |
|                  |  | Percent<br>Receiving           | Mean<br>Willingness<br>to Receive |  |  |

# Discounts Amdahl Discounts Amdahl Percent Receiving Mean Willingness to Receive Multiyear 31 3.4 Prepayment 20 3.9 Call Screening/Problem Management 17 4.3 Deferred Response 4 2.6 Note: Scale 1 - 10, 1 = Lowest, 10 = Highest


# B BULL

The BULL sample consisted of 32 users of BULL DPS large systems. The following points appear significant in the BULL information:

- Service issues relating to the quality of service rated higher than contractual issues in selecting a service vendor.
- There do not appear to be any overwhelming reasons why BULL users do not use IMOs, as there were in the 1990 study. Although satisfaction with manufacturer was mentioned the most often (67%) it was not the high 79% of the 1990 sample.
- Spares availability received by the sample is much lower than the mean level of spares availability required, 6.7 and 8.5 respectively. Only 33% of the sample received spares availability that met or exceeded requirements. There was a difference of -1.0 in the 1990 sample, but with a higher mean satisfaction with spares reported.
- A higher number of respondents in 1991 reported receiving some type of ancillary services than did the 1990 user sample. Mean service levels required ranged from 4.1 to 6.1, with mean levels of service received ranging from 4.3 to 7.7. Only in disaster recovery was there a sizable difference between the mean level required (6.0) and the mean level received (4.4). There appears to be a high requirement for disaster recovery services from the users of BULL systems that is not being met.
- Single-point-of-contact mean level of interest appears to be fairly high— 3.5 on a scale of 1-5.


| EXHIBI <sup>-</sup> | Г III-B-1 |
|---------------------|-----------|
|---------------------|-----------|

| Contract Coverage<br>BULL                               |                |               |  |  |
|---|----------------|---------------|--|--|
|   | Percent        | of Sample     |  |  |
|   | 1991           | 1991 1990     |  |  |
| Days Covered  |                |               |  |  |
| Monday - Friday<br>Monday - Saturday<br>Monday - Sunday | 79<br>0<br>21  | 90<br>5<br>5  |  |  |
| Hours Covered   |                |               |  |  |
| 1 - 9<br>10 - 16<br>17 - 24                             | 55<br>24<br>21 | 53<br>42<br>5 |  |  |



## Hardware Maintenance Provider BULL

| Provider                                | Percent of<br>Mentions | Primary |
|---|------------------------|---------|
| Manufacturer                            | 94                     | 91      |
| Dealer/Distributor                      | 12                     | 6       |
| Independent Maintenance<br>Organization | 3                      | 3       |
| In-House                                | 0                      | 0       |
| Other                                   | 0                      | 0       |



| EXHIBIT I | II-B-5 |
|-----------|--------|
|-----------|--------|

# Maintenance Contract Terms BULL

| Hardware<br>Maintenance | Percent of Respondents |
|-------------------------|------------------------|
| Warranty                | 3                      |
| Five Years              | 3                      |
| Three Years             | 9                      |
| One Year                | 69                     |
| Time and Materials      | 0                      |
| Other                   | 16                     |
| None                    | 0                      |

## EXHIBIT III-B-6

# System Availability Performance Analysis BULL

|                         | Mean<br>Required | Mean<br>Received | Percent<br>Satisfied |
|-------------------------|------------------|------------------|----------------------|
| System Availability (%) | 96               | 96.2             | 75                   |
| Response Time (hrs.)    | 2.0              | 2.4              | 70                   |
| Repair Time (hrs.)      | 2.5              | 3.0              | 89                   |



# System Failure Rates<br/>BULLMean Failures Per Year4.3Causes of Failure (%)Hardware67Systems Software11Applications Software6Other16Sample Size: 33

# Hardware Service Required versus Received BULL

|                                   | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction | Percent<br>Satisfied |
|-----------------------------------|------------------|------------------|----------------------|----------------------|
| Spares Availability               | 8.5              | 6.7              | 7.2                  | 33                   |
| Engineer Skills                   | 8.8              | 7.8              | 8.0                  | 58                   |
| Documentation of<br>Maintenance   | 6.4              | 6.7              | 7.1                  | 78                   |
| Help Desk Support                 | 7.2              | 6.5              | 6.9                  | 66                   |
| Remote Diagnostics                | 6.8              | 6.7              | 6.7                  | 74                   |
| Real-time Software<br>Diagnostics | 6.4              | 6.1              | 6.3                  | 69                   |
| Overall Hardware<br>Maintenance   | 9.0              | 8.2              | 8.2                  | 55                   |

| EXHIBIT III-B-9 |  |
|-----------------|--|
|-----------------|--|

# Software Maintenance Provider BULL

| Provider                        | Percent of<br>Mentions |
|---------------------------------|------------------------|
| Hardware Manufacturer           | 84                     |
| Other Hardware Service Provider | 4                      |
| Software Product Vendor         | 7                      |
| Value-Added Reseller (VAR)      | 8                      |
| In-House                        | 52                     |
| Other                           | 0                      |

## EXHIBIT III-B-10

# System Software Maintenance Contract Terms BULL

| Software<br>Maintenance | Percent of Respondents |
|-------------------------|------------------------|
| Included in License Fee | 27                     |
| Three-Year              | 0                      |
| One-Year                | 46                     |
| Custom                  | 15                     |
| None                    | 6                      |
| Don't Know              | 6                      |

.

| EXHIBIT | III-B-11 |
|---------|----------|
|---------|----------|

# System Software Problem Resolution BULL

| Solved by Phone (%)<br>Elapsed Time (hrs.) | 72<br>3.8 |
|--|-----------|
| Other Problems                             |           |
| Response Time                              |           |
| Required (mean hrs.)                       | 8.2       |
| Received (mean hrs.)                       | 6.4       |
| <ul> <li>Percent Satisfied</li> </ul>      | 79        |
| Fix Time                                   |           |
| <ul> <li>Required (mean hrs.)</li> </ul>   | 4.1       |
| • Received (mean hrs.)                     | 5.6       |
| <ul> <li>Percent Satisfied</li> </ul>      | 79        |

# System Software Support Required versus Received BULL

|                             | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction | Percent<br>Satisfied |
|-----------------------------|------------------|------------------|----------------------|----------------------|
| Engineer Skills             | 8.6              | 8.0              | 8.4                  | 63                   |
| Documentation               | 8.2              | 7.1              | 7.8                  | 44                   |
| Software Installation       | 7.8              | 7.1              | 7.9                  | 68                   |
| Provision of Updates        | 7.7              | 6.8              | 7.4                  | 66                   |
| Operational Training        | 6.5              | 5.0              | 6.2                  | 53                   |
| Software Remote<br>Support  | 7.6              | 6.6              | 6.9                  | 59                   |
| Software Support<br>Overall | 8.6              | 7.5              | 8.0                  | 56                   |

| Ancillary Services<br>BULL       |  |                           |                           |                      |  |
|----------------------------------|--|---------------------------|---------------------------|----------------------|--|
|                                  | Number of<br>Mentions<br>Currently<br>Contracted | Mean<br>Level<br>Required | Mean<br>Level<br>Received | Percent<br>Satisfied | Number of<br>Mentions<br>Not Receiving<br>But Required |
| Configuration Planning           | 15   | 6.1                       | 7.7                       | 87                   | 8  |
| Capacity Planning                | 12   | 6.0                       | 6.9                       | 75                   | 9  |
| Environmental Planning           | 12   | 5.1                       | 5.5                       | 75                   | 7  |
| Cabling                          | 12   | 5.4                       | 5.4                       | 75                   | 9  |
| Software Evaluation              | 11   | 5.6                       | 6.2                       | 73                   | 6  |
| Maintenance-Related<br>Training  | 14   | 5.4                       | 7.0                       | 79                   | 9  |
| Install/De-install/Moves         | 14   | 5.4                       | 6.1                       | 86                   | 6  |
| Consulting                       | 13   | 5.0                       | 5.5                       | 77                   | 7  |
| Network Planning                 | 12   | 5.6                       | 6.3                       | 67                   | 6  |
| Network Management               | 13   | 5.4                       | 6.1                       | 69                   | 6  |
| Disaster Recovery                | 7  | 6.0                       | 4.4                       | 57                   | 8  |
| Facilities Management            | 4  | 4.1                       | 5.3                       | 50                   | 9  |
| Problem Management               | 7  | 4.6                       | 4.3                       | 29                   | 9  |
| Applications Software<br>Support | 11   | 5.0                       | 5.8                       | 46                   | 9  |

.

INPUT

.

| EXHIBI | Г III-В-14 |
|--------|------------|
|--------|------------|

| Multivendor Services<br>BULL                  |   |     |  |  |  |  |
|---|---|-----|--|--|--|--|
| Service on Other<br>Manufacturers'            | Percent Interest in Receiving Three Years |     |  |  |  |  |
| CPUs  | 6   | 1.7 |  |  |  |  |
| Peripherals                                   | 15  | 2.2 |  |  |  |  |
| Network Products                              | 15  | 2.2 |  |  |  |  |
| Level of Interest Single Point of Contact 3.5 |   |     |  |  |  |  |
| Note: Scale 1 - 5, 1 = Lowest, 5 =            |   | .0  |  |  |  |  |

| Discounts<br>BULL                    |                      |                                   |  |
|--------------------------------------|----------------------|-----------------------------------|--|
|                                      | Percent<br>Receiving | Mean<br>Willingness<br>to Receive |  |
| Multiyear                            | 17                   | 4.0                               |  |
| Prepayment                           | 21                   | 3.8                               |  |
| Call Screening/Problem<br>Management | 7                    | 3.5                               |  |
| Deferred Response                    | 14                   | 3.0                               |  |

## EXHIBIT III-B-15


# С ІВМ 309Х

The sample consisted of 30 users of IBM 309X large systems. In analyzing the data collected, the following points appear significant:

- As in other portions of the large systems sample, IBM 309X respondents value the service quality components higher than contractual items when evaluating a service vendor.
- Over 60% of the respondents reported having a contract of three or more years in duration. As a result, IBM 309X users are not as amenable as other user groups studied to considering service from a vendor other than IBM.
- Even though the mean system availability required is the same as the mean system availability received, on an individual basis, only 64% of the respondents reported receiving system availability that met or exceeded their requirements.
- Respondents in the 1991 sample reported a higher mean percent of system software problems that were resolved by phone than in the 1990 user group or in the 1991 sample as a whole. Mean elapsed time for problem resolution dropped from the 1990 respondent group.
- System software support appears to be lacking in meeting the requirements of the users. Mean ratings received were all lower than the mean ratings required for the six aspects of system software service and support overall. Only 52% of the respondents had their requirements met or exceeded for system software support overall.
- The provision of service ancillary to the maintenance function appears to be another area requiring improvement. Overall, mean requirements were higher than mean service levels received. Over 75% of the respondents reported having their requirements met in the areas of configuration planning, cabling, maintenance-related training, installation/de-installation/moves, consulting, and problem management.
- The IBM 309X user group reported a higher mean level of interest in single-point-of-contact service than the large system respondents as a whole—4.0 versus 3.4.
- A higher percentage of users reported receiving a multi-year discount on their equipment service in 1991 than in 1990 or in the overall sample.




| Contract Coverage<br>IBM 309X                           |                              |  |
|---|------------------------------|--|
|   | Percent of<br>Sample<br>1991 |  |
| Days Covered  | ·                            |  |
| Monday - Friday<br>Monday - Saturday<br>Monday - Sunday | 3<br>0<br>97                 |  |
| Hours Covered   |                              |  |
| 1 - 9<br>10 - 16<br>17 - 24                             | 0<br>3<br>97                 |  |



## Hardware Maintenance Provider IBM 309X

| Percent of<br>Mentions | Primary                        |
|------------------------|--------------------------------|
| 100                    | 97                             |
| 7                      | 3                              |
| 3                      | 0                              |
| 0                      | 0                              |
| 0                      | 0                              |
|                        | Mentions<br>100<br>7<br>3<br>0 |



INPUT

| EXHIBIT II | I-C-5 |
|------------|-------|
|------------|-------|

# Maintenance Contract Terms IBM 309X


| Percent of Respondents |
|------------------------|
| 7                      |
| 50                     |
| 11                     |
| 18                     |
| 0                      |
| 10                     |
| 4                      |
|                        |

EXHIBIT III-C-6

# System Availability Performance Analysis IBM 309X

|                         | Mean<br>Required | Mean<br>Received | Percent<br>Satisfied |
|-------------------------|------------------|------------------|----------------------|
| System Availability (%) | 98.8             | 98.8             | 64                   |
| Response Time (hrs.)    | 1.8              | 1.0              | 100                  |
| Repair Time (hrs.)      | 2.1              | 1.4              | 91                   |





|                                   | IBN              | IBM 309X         |                      |                      |  |  |
|-----------------------------------|------------------|------------------|----------------------|----------------------|--|--|
|                                   | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction | Percent<br>Satisfied |  |  |
| Spares Availability               | 9.0              | 8.9              | 9.2                  | 79                   |  |  |
| Engineer Skills                   | 9.4              | 9.1              | 9.3                  | 52                   |  |  |
| Documentation of<br>Maintenance   | 7.9              | 7.7              | 8.7                  | 73                   |  |  |
| Help Desk Support                 | 8.2              | 8.3              | 8.9                  | 90                   |  |  |
| Remote Diagnostics                | 8.7              | 8.8              | 9.2                  | 67                   |  |  |
| Real-time Software<br>Diagnostics | 8.7              | 8.0              | 8.2                  | 81                   |  |  |
| Overall Hardware<br>Maintenance   | 9.3              | 9.3              | 9.4                  | 90                   |  |  |

| EXHIBIT III-0 | C-9 |
|---------------|-----|
|---------------|-----|

# Software Maintenance Provider IBM 309X

| Provider                        | Percent of<br>Mentions                    |
|---------------------------------|---|
| Hardware Manufacturer           | 86  |
| Other Hardware Service Provider | 4   |
| Software Product Vendor         | 46  |
| Value-Added Reseller (VAR)      | 4   |
| In-House                        | 71  |
| Other                           | 4   |
| Multiple Responses Allowed.     | hannan an a |

## EXHIBIT III-C-10

## System Software Maintenance Contract Terms IBM 309X

| Software<br>Maintenance | Percent of Respondents |
|-------------------------|------------------------|
| Included in License Fee | 63                     |
| Three-Year              | 0                      |
| One-Year                | 10                     |
| Custom                  | 3                      |
| None                    | 7                      |
| Don't Know              | 17                     |

# System Software Problem Resolution IBM 309X

| Solved by Phone (%)                      | 74   |
|--|------|
| Elapsed Time (hrs.)                      | 11.0 |
| Other Problems                           |      |
| Response Time                            |      |
| <ul> <li>Required (mean hrs.)</li> </ul> | 10.2 |
| <ul> <li>Received (mean hrs.)</li> </ul> | 15.1 |
| <ul> <li>Percent Satisfied</li> </ul>    | 70   |
| Fix Time                                 |      |
| <ul> <li>Required (mean hrs.)</li> </ul> | 7.5  |
| <ul> <li>Received (mean hrs.)</li> </ul> | 8.7  |
| <ul> <li>Percent Satisfied</li> </ul>    | 84   |

# System Software Support Required versus Received IBM 309X

|                             | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction | Percent<br>Satisfied |
|-----------------------------|------------------|------------------|----------------------|----------------------|
| Engineer Skills             | 8.7              | 7.7              | 8.0                  | 56                   |
| Documentation               | 8.8              | 7.3              | 7.5                  | 39                   |
| Software Installation       | 7.9              | 7.5              | 7.7                  | 46                   |
| Provision of Updates        | 8.4              | 8.2              | 8.4                  | 80                   |
| Operational Training        | 7.1              | 6.5              | 7.0                  | 67                   |
| Software Remote<br>Support  | 8.5              | 7.9              | 8.0                  | 55                   |
| Software Support<br>Overall | 8.6              | 7.9              | 7.9                  | 52                   |

Note: Scale 1-10, 1 = Lowest, 10 = Highest

|                                  | Number of<br>Mentions<br>Currently<br>Contracted | Mean<br>Level | Mean<br>Level<br>Received | Percent<br>Satisfied | Number of<br>Mentions<br>Not Receiving<br>But Required |
|----------------------------------|--|---------------|---------------------------|----------------------|--|
| Configuration Planning           | 19   | 7.7           | 7.8                       | 79                   | 1  |
| Capacity Planning                | 21   | 7.3           | 6.4                       | 52                   | 0  |
| Environmental Planning           | 22   | 7.2           | 7.0                       | 73                   | 0  |
| Cabling                          | 20   | 7.9           | 8.1                       | 90                   | 0  |
| Software Evaluation              | 16   | 6.8           | 6.1                       | 67                   | 0  |
| Maintenance-Related<br>Training  | 21   | 6.5           | 6.1                       | 81                   | 0  |
| Install/De-install/Moves         | 29   | 9.1           | 9.0                       | 88                   | 0  |
| Consulting                       | 19   | 7.3           | 7.2                       | 79                   | 0  |
| Network Planning                 | 17   | 7.8           | 7.1                       | 59                   | 0  |
| Network Management               | 13   | 7.5           | 5.9                       | 42                   | 0  |
| Disaster Recovery                | 15   | 8.0           | 6.7                       | 60                   | 0  |
| Facilities Management            | 10   | 7.9           | 7.1                       | 60                   | 0  |
| Problem Management               | 14   | 7.0           | 6.7                       | 79                   | 0  |
| Applications Software<br>Support | 12   | 7.8           | 6.8                       | 58                   | 0  |

.

| EXHIBIT III-C-14 |                                    | or Services<br>309X  |                            |
|------------------|------------------------------------|----------------------|----------------------------|
|                  | Service on Other<br>Manufacturers' | Percent<br>Receiving | Interest in<br>Three Years |
|                  | CPUs                               | 3                    | 2.1                        |
|                  | Peripherals                        | 13                   | 2.5                        |
|                  | Network Products                   | 17                   | 2.8                        |
|                  |                                    | Level of             | f Interest                 |
|                  | Single Point of Contact            | 4                    | .0                         |
|                  | Note: Scale 1 - 5, 1 = Lowest, 5 = | Highest              | ,, <u></u> , <u></u> ,     |

# Discounts IBM 309X


|                                      | Percent<br>Receiving | Mean<br>Willingness<br>to Receive |
|--------------------------------------|----------------------|-----------------------------------|
| Multiyear                            | 79                   | 5.3                               |
| Prepayment                           | 33                   | 4.1                               |
| Call Screening/Problem<br>Management | 29                   | 4.5                               |
| Deferred Response                    | 9                    | 2.3                               |

# D IBM 308X

The sample consisted of 30 users of IBM 308X large systems. The following points are noteworthy in the 308X user group data analysis:

- Thirty percent of the 308X group reported using independent maintenance, as compared to 7% of the overall large systems group. This may be a result of the age of the 308X systems. A noticeable percentage of users who had reported having 308X systems in the past have upgraded to the IBM 309X or other newer systems.
- Major reasons for using independent maintenance include lower cost, single-source service, and more flexible contracts. The major reason for users not having IMO service was their satisfaction with the manufacturer for service.
- There was a great deal of diversity mentioned by users in the ancillary services area. Over 30% of respondents reported receiving one or more ancillary service from their maintenance vendor, with 75% receiving assistance with installation and moves. Overall, most mean received levels were greater than the mean level of service required. Less than 50% of the respondents receiving assistance with capacity planning and application software support had their requirements for service met or exceeded. Over 90% of the users receiving maintenance-related training and installation/moves received the level of service they required.

| EXHIBIT III-D-1 |   | Contract Coverage<br>IBM 308X |  |  |
|-----------------|---|-------------------------------|--|--|
|                 |   | Percent of<br>Sample<br>1991  |  |  |
|                 | Days Covered  |                               |  |  |
|                 | Monday - Friday<br>Monday - Saturday<br>Monday - Sunday | 3<br>0<br>97                  |  |  |
|                 | Hours Covered   |                               |  |  |
|                 | 1 - 9<br>10 - 16<br>17 - 24                             | 7<br>0<br>93                  |  |  |



# Hardware Maintenance Provider IBM 308X Percent of Provider Primary

70

3

30

3

0

67

3

27

3

0

|   | Other |  |  |
|---|-------|--|--|
| l |       |  |  |

Independent Maintenance


Manufacturer

Organization


In-House

Dealer/Distributor

Multiple Responses Allowed.



**III-43** 




| EXHIBI | T III-D-5 |
|--------|-----------|
|        |           |

| Maintenance Contract Terms<br>IBM 308X |                        |  |  |  |
|--|------------------------|--|--|--|
| Hardware<br>Maintenance                | Percent of Respondents |  |  |  |
| Warranty                               | 0                      |  |  |  |
| Five Years                             | 15                     |  |  |  |
| Three Years                            | 26                     |  |  |  |
| One Year                               | 40                     |  |  |  |
| Time and Materials                     | 0                      |  |  |  |
| Other                                  | 19                     |  |  |  |
| None                                   | 0                      |  |  |  |

# System Availability Performance Analysis IBM 308X

|                         | Mean<br>Required | Mean<br>Received | Percent<br>Satisfied |
|-------------------------|------------------|------------------|----------------------|
| System Availability (%) | 97.1             | 98.1             | 68                   |
| Response Time (hrs.)    | 1.6              | 1.2              | 100                  |
| Repair Time (hrs.)      | 3.9              | 4.0              | 85                   |





# Hardware Service Required versus Received IBM 308X

|                                   | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction | Percent<br>Satisfied |
|-----------------------------------|------------------|------------------|----------------------|----------------------|
| Spares Availability               | 9.1              | 8.6              | 8.9                  | 63                   |
| Engineer Skills                   | 9.2              | 8.7              | 8.8                  | 63                   |
| Documentation of<br>Maintenance   | 6.9              | 7.3              | 8.5                  | 83                   |
| Help Desk Support                 | 7.7              | 7.5              | 8.4                  | 74                   |
| Remote Diagnostics                | 7.2              | 7.5              | 9.2                  | 81                   |
| Real-time Software<br>Diagnostics | 7.2              | 7.5              | 8.1                  | 92                   |
| Overall Hardware<br>Maintenance   | 9.2              | 9.0              | 9.0                  | 73                   |

# Software Maintenance Provider IBM 308X

| 93<br>0 |
|---------|
| 0       |
| U       |
| 21      |
| 3       |
| 48      |
| 10      |
|         |

#### EXHIBIT III-D-10

## System Software Maintenance Contract Terms IBM 308X

| Software<br>Maintenance | Percent of Respondents |
|-------------------------|------------------------|
| Included in License Fee | 50                     |
| Three-Year              | 7                      |
| One-Year                | 20                     |
| Custom                  | 0                      |
| None                    | 6                      |
| Don't Know              | 17                     |

| EXHIBIT | III-D-11 |
|---------|----------|
|---------|----------|

# System Software Problem Resolution IBM 308X

| Solved by Phone (%)<br>Elapsed Time (hrs.) | 65<br>12.0 |
|--|------------|
| Other Problems                             |            |
| Response Time                              |            |
| Required (mean hrs.)                       | 6.0        |
| Received (mean hrs.)                       | 8.6        |
| <ul> <li>Percent Satisfied</li> </ul>      | 79         |
| Fix Time                                   |            |
| <ul> <li>Required (mean hrs.)</li> </ul>   | 6.0        |
| Received (mean hrs.)                       | 10.8       |
| <ul> <li>Percent Satisfied</li> </ul>      | 93         |

# System Software Support Required versus Received IBM 308X

|                             | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction | Percent<br>Satisfied |
|-----------------------------|------------------|------------------|----------------------|----------------------|
| Engineer Skills             | 8.9              | 7.2              | 7.6                  | 48                   |
| Documentation               | 8.2              | 7.1              | 7.8                  | 59                   |
| Software Installation       | 8.4              | 7.6              | 8.2                  | 48                   |
| Provision of Updates        | 8.1              | 7.5              | 8.1                  | 74                   |
| Operational Training        | 7.1              | 5.7              | 6.6                  | 42                   |
| Software Remote<br>Support  | 6.9              | 6.8              | 7.9                  | 71                   |
| Software Support<br>Overall | 8.5              | 7.6              | 7.7                  | 56                   |

| Ancillary Services<br>IBM 308X   |  |                           |                           |                      |  |
|----------------------------------|--|---------------------------|---------------------------|----------------------|--|
|                                  | Number of<br>Mentions<br>Currently<br>Contracted | Mean<br>Level<br>Required | Mean<br>Level<br>Received | Percent<br>Satisfied | Number of<br>Mentions<br>Not Receiving<br>But Required |
| Configuration Planning           | 17   | 6.0                       | 6.8                       | 71                   | 5  |
| Capacity Planning                | 15   | 6.3                       | 6.9                       | 47                   | 8  |
| Environmental Planning           | 16   | 5.2                       | 6.3                       | 81                   | 8  |
| Cabling                          | 20   | 6.0                       | 6.7                       | 84                   | 4  |
| Software Evaluation              | 17   | 5.9                       | 5.4                       | 59                   | 3  |
| Maintenance-Related<br>Training  | 16   | 5.4                       | 5.6                       | 93                   | 5  |
| Install/De-install/Moves         | 24   | 7.2                       | 7.7                       | 96                   | 3  |
| Consulting                       | 18   | 5.7                       | 5.8                       | 71                   | 2  |
| Network Planning                 | 13   | 6.4                       | 6.2                       | 54                   | 5  |
| Network Management               | 13   | 5.9                       | 5.8                       | 54                   | 5  |
| Disaster Recovery                | 13   | 6.3                       | 5.8                       | 69                   | 7  |
| Facilities Management            | 10   | 4.6                       | 4.5                       | 56                   | 1  |
| Problem Management               | 13   | 6.4                       | 6.2                       | 69                   | 5  |
| Applications Software<br>Support | 18   | 6.1                       | 4.9                       | 47                   | 2  |

.

| EXHIBIT | III-D-14 |
|---------|----------|
|---------|----------|

| Multivendor Services<br>IBM 308X   |                      |                            |  |  |
|------------------------------------|----------------------|----------------------------|--|--|
| Service on Other<br>Manufacturers' | Percent<br>Receiving | Interest in<br>Three Years |  |  |
| CPUs                               | 13                   | 2.4                        |  |  |
| Peripherals                        | 23                   | 2.6                        |  |  |
| Network Products                   | 20                   | 2.6                        |  |  |
| Level of Interest                  |                      |                            |  |  |
| Single Point of Contact 3.5        |                      |                            |  |  |
| Note: Scale 1 - 5, 1 = Lowest, 5 = | = Highest            |                            |  |  |

|   | Discounts<br>IBM 308X                |                      |                                   |  |  |
|---|--------------------------------------|----------------------|-----------------------------------|--|--|
|   |                                      | Percent<br>Receiving | Mean<br>Willingness<br>to Receive |  |  |
| - | Multiyear                            | 63                   | 5.4                               |  |  |
|   | Prepayment                           | 23                   | 3.9                               |  |  |
|   | Call Screening/Problem<br>Management | 42                   | 4.7                               |  |  |
|   | Deferred Response                    | 8                    | 3.5                               |  |  |

# EXHIBIT III-D

ſ

| E   |      |  |   |   |      |      |  |
|-----|------|--|---|---|------|------|--|
| NCR |      |  |   | <u>, , , , , , , , , , , , , , , , , , , </u> |      | <br> |  |
|     | 6771 |  | - |   | <br> | <br> |  |


The NCR user group consisted of 35 users of the NCR 93XX, 94XX, 95XX, and 10000 systems. There is currently a transition from the older 93XX, 94XX, and 95XX systems, since NCR has announced the discontinuation of these systems, to the 10000. In the NCR group, INPUT interviewed 13 users of the 10000 system and 22 users of 93XX, 94XX, and 95XX systems.

The following items appeared noteworthy in comparing the 1991 NCR user group with the 1991 NCR user sample as a whole and the 1990 NCR user group:

- A larger number of users reported moving to seven-day-per-week, twoand three-shift coverage on their equipment.
- Only one respondent reported using an IMO as the primary hardware servicer.
- The major reason given for not using an IMO by the rest of the group was satisfaction with the hardware manufacturer.
- The mean system availability received was higher than the mean availability required—98.6 versus 96.2—with 77% of users receiving system availability equal to or greater than the requirement.
- The mean rating for overall hardware maintenance received was lower than the mean rating required, but 71% of the users had their requirements met.
- An average of 79% of the system software problems were resolved by phone, in an average resolution time of 6.7 hours. In 1990 there was an average of 78% of the problems solved with an average elapsed time of 3 hours.
- The mean ratings for ancillary services received exceeded the mean ratings for services required, but most of the user requirements for services being met ranged from 44%-75%. The exceptions were that 95% of the users requiring installation/move services and 88% of users requiring cabling services had their requirements for these services met.


|   | Percent of     | of Sample       |
|---|----------------|-----------------|
|   | 1991           | 1990            |
| Days Covered  |                |                 |
| Monday - Friday<br>Monday - Saturday<br>Monday - Sunday | 67<br>0<br>33  | 86<br>5<br>9    |
| Hours Covered   |                |                 |
| 1 - 9<br>10 - 16<br>17 - 24                             | 44<br>13<br>43 | 86<br>0<br>14 - |

.



# Hardware Maintenance ProviderHardware Maintenance ProviderNCRPercent of<br/>MentionsPrimary

| Manufacturer                            | 97 | 97 |  |  |
|---|----|----|--|--|
| Dealer/Distributor                      | 0  | 0  |  |  |
| Independent Maintenance<br>Organization | 3  | 3  |  |  |
| In-House                                | 6  | 0  |  |  |
| Other                                   | 0  | 0  |  |  |
| Multiple Responses Allowed.             |    |    |  |  |



| EXHIBIT | III-E-5 |
|---------|---------|
|---------|---------|

# Maintenance Contract Terms NCR


| Hardware<br>Maintenance | Percent of Respondents |
|-------------------------|------------------------|
| Warranty                | 3                      |
| Five Years              | 3                      |
| Three Years             | 0                      |
| One Year                | 74                     |
| Time and Materials      | 0                      |
| Other                   | 10                     |
| None                    | 10                     |

#### EXHIBIT III-E-6

# System Availability Performance Analysis NCR

|                         | Mean<br>Required | Mean<br>Received | Percent<br>Satisfied |
|-------------------------|------------------|------------------|----------------------|
| System Availability (%) | 96.2             | 98.6             | 77                   |
| Response Time (hrs.)    | 2.5              | 2.1              | 88                   |
| Repair Time (hrs.)      | 3.3              | 2.6              | 94                   |





|                                   | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction | Percent<br>Satisfied |
|-----------------------------------|------------------|------------------|----------------------|----------------------|
| Spares Availability               | 8.6              | 7.9              | 8.2                  | 60                   |
| Engineer Skills                   | 8.8              | 8.7              | 9.0                  | 83                   |
| Documentation of<br>Maintenance   | 6.9              | 7.2              | 8.2                  | 97                   |
| Help Desk Support                 | 7.2              | 6.8              | 7.5                  | 75                   |
| Remote Diagnostics                | 6.2              | 6.4              | 7.3                  | 80                   |
| Real-time Software<br>Diagnostics | 6.0              | 6.0              | 6.7                  | 89                   |
| Overall Hardware<br>Maintenance   | 9.1              | 8.8              | 9.0                  | 71                   |



# Software Maintenance Provider NCR

| Percent of<br>Mentions |
|------------------------|
| 82                     |
| 3                      |
| 12                     |
| 6                      |
| 24                     |
| 3                      |
|                        |

EXHIBIT III-E-10

### System Software Maintenance Contract Terms NCR

| Software<br>Maintenance | Percent of Respondents |
|-------------------------|------------------------|
| Included in License Fee | 9                      |
| Three-Year              | 0                      |
| One-Year                | 63                     |
| Custom                  | 17                     |
| None                    | 0                      |
| Don't Know              | 11                     |

# System Software Problem Resolution NCR

| Solved by Phone (%)<br>Elapsed Time (hrs.) | 79<br>6.7 |
|--|-----------|
| Other Problems                             |           |
| Response Time                              |           |
| Required (mean hrs.)                       | 14.3      |
| Received (mean hrs.)                       | 10.7      |
| Percent Satisfied                          | 82        |
| Fix Time                                   |           |
| <ul> <li>Required (mean hrs.)</li> </ul>   | 7.3       |
| Received (mean hrs.)                       | 7.0       |
| Percent Satisfied                          | 77        |

.

#### EXHIBIT III-E-12

| System Software Support Required versus Received<br>NCR |                  |                  |                      |                      |  |
|---|------------------|------------------|----------------------|----------------------|--|
|   | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction | Percent<br>Satisfied |  |
| Engineer Skills   | 8.6              | 8.1              | 8.4                  | 65                   |  |
| Documentation   | 8.0              | 7.6              | 8.3                  | 77                   |  |
| Software Installation                                   | 7.4              | 7.1              | 7.4                  | 74                   |  |
| Provision of Updates                                    | 8.1              | 7.8              | 7.9                  | 74                   |  |
| Operational Training                                    | 7.1              | 6.9              | 7.2                  | 74                   |  |
| Software Remote<br>Support                              | 8.3              | 7.9              | 8.1                  | 71                   |  |
| Software Support<br>Overall                             | 8.5              | 8.1              | 8.4                  | 71                   |  |

.

INPUT

#### EXHIBIT III-E-13

|                                  | Number of<br>Mentions<br>Currently<br>Contracted | Mean<br>Level<br>Required | Mean<br>Level<br>Received | Percent<br>Satisfied | Number of<br>Mentions<br>Not Receiving<br>But Required |
|----------------------------------|--|---------------------------|---------------------------|----------------------|--|
| Configuration Planning           | 19   | 7.0                       | 7.1                       | 61                   | 7  |
| Capacity Planning                | 17   | 7.0                       | 7.5                       | 56                   | 8  |
| Environmental Planning           | 17   | 6.2                       | 6.9                       | 69                   | 10   |
| Cabling                          | 17   | 6.9                       | 7.6                       | 88                   | 11   |
| Software Evaluation              | 17   | 6.4                       | 6.7                       | 75                   | 10   |
| Maintenance-Related<br>Training  | 18   | 6.2                       | 6.2                       | 59                   | 9  |
| Install/De-install/Moves         | 20   | 7.1                       | 8.5                       | 95                   | 8  |
| Consulting                       | 19   | 6.2                       | 6.4                       | 56                   | 8  |
| Network Planning                 | 14   | 5.4                       | 6.2                       | 54                   | 10   |
| Network Management               | 10   | 5.2                       | 6.4                       | 44                   | 11   |
| Disaster Recovery                | 19   | 6.9                       | 7.2                       | 72                   | 8  |
| Facilities Management            | 15   | 4.0                       | 4.1                       | 64                   | 9  |
| Problem Management               | 22   | 6.1                       | 6.5                       | 62                   | 7  |
| Applications Software<br>Support | 24   | 7.0                       | 7.2                       | 52                   | 4  |


| Multivendor Services<br>NCR                      |                      |                            |  |  |
|--|----------------------|----------------------------|--|--|
| Service on Other<br>Manufacturers'               | Percent<br>Receiving | Interest in<br>Three Years |  |  |
| CPUs   | 14                   | 2.3                        |  |  |
| Peripherals                                      | 34                   | 2.7                        |  |  |
| Network Products                                 | 23                   | 2.7                        |  |  |
| Level of Interest<br>Single Point of Contact 3.4 |                      |                            |  |  |
| Note: Scale 1 - 5, 1 = Lowest, 5                 | = Highest            |                            |  |  |

#### EXHIBIT III-E-15

#### Discounts NCR Mean Willingness Percent Receiving to Receive Multiyear 13 3.9 Prepayment 20 4.2 Call Screening/Problem 7 4.0 Management Deferred Response 13 3.6 Note: Scale 1 - 10, 1 = Lowest, 10 = Highest



# Summary Charts





# Summary Charts

In this chapter, INPUT presents a summary of selected data from the 1991 large systems user requirements study. These summary charts allow a vendor-by-vendor comparison of service performance. Data is presented on factors that can be compared on an absolute basis.

The key to an analysis of customer satisfaction is the ability of the vendor to meet or exceed the expectations of the customer. Even the highest rating is lacking if the user's requirement exceeds the rating.

In these charts, the following definitions apply:

- Difference is a comparison of the mean service required to the mean service received. A negative number denotes a shortfall in the service received. A positive number denotes that the mean service received exceeded the mean service required.
- Percent satisfied is based on whether the service received met or exceeded service required for each individual respondent. A count is made of how many individuals had their requirements met or exceeded for that particular service requirement, which converts to the percent satisfied.

#### EXHIBIT IV-1

| Large Systems Vendor Performance<br>System Interruptions |                    |          |                    |                          |       |
|--|--------------------|----------|--------------------|--------------------------|-------|
|  | Mean               |          | Percent C          | aused By:                |       |
| Vendor   | Number<br>Per Year | Hardware | System<br>Software | Applications<br>Software | Other |
| Amdahl   | 4.3                | 42       | 15                 | 8                        | 35    |
| BULL   | 4.3                | 67       | 11                 | 6                        | 16    |
| IBM 309X   | 3.7                | 40       | 15                 | 8                        | 37    |
| IBM 308X   | 3.8                | 55       | 18                 | 2                        | 25    |
| NCR  | 2.0                | 79       | 8                  | 3                        | 10    |
| All Vendors  | 3.6                | 56       | 13                 | 6                        | 25    |

EXHIBIT IV-2

# Large Systems Vendor Performance System Availability

|             | System Availability<br>(Percent) |            |      |  |  |
|-------------|----------------------------------|------------|------|--|--|
| Vendor      | Required                         | Difference |      |  |  |
| Amdahl      | 97.8                             | 97.7       | -0.1 |  |  |
| BULL        | 96.0                             | 96.2       | 0.2  |  |  |
| IBM 309X    | 98.8                             | 98.8       | 0.0  |  |  |
| IBM 308X    | 97.1                             | 98.1       | 1.0  |  |  |
| NCR         | 96.2                             | 98.6       | 2.4  |  |  |
| All Vendors | 97.1                             | 97.9       | 0.8  |  |  |

| EXHIBIT I | V-3 |
|-----------|-----|
|-----------|-----|


# Large Systems Vendor Performance Response Time


|             | Response Time<br>(Hours) |          |            |  |  |
|-------------|--------------------------|----------|------------|--|--|
| Vendor      | Required                 | Received | Difference |  |  |
| Amdahl      | 2.0                      | 2.2      | -0.2       |  |  |
| BULL        | 2.5                      | 3.0      | -0.5       |  |  |
| IBM 309X    | 2.1                      | 1.4      | 0.7        |  |  |
| IBM 308X    | 3.9                      | 4.0      | -0.1       |  |  |
| NCR         | 3.3                      | 2.6      | 0.7        |  |  |
| All Vendors | 2.8                      | 2.6      | 0.2        |  |  |

#### **EXHIBIT IV-4**

# Large Systems Vendor Performance Repair Time

|             | Repair Time<br>(Hours) |          |            |
|-------------|------------------------|----------|------------|
| Vendor      | Required               | Received | Difference |
| Amdahl      | 1.4                    | 1.2      | 0.2        |
| BULL        | 2.0                    | 2.4      | -0.4       |
| IBM 309X    | 1.8                    | 1.0      | 0.8        |
| IBM 308X    | 1.6                    | 1.2      | 0.4        |
| NCR         | 2.5                    | 2.1      | 0.4        |
| All Vendors | 1.9                    | 1.6      | 0.3        |








EXHIBIT IV-8

#### Large Systems Vendor Performance Hardware Maintenance Required versus Received

| Vendor      | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction |  |
|-------------|------------------|------------------|----------------------|--|
| Amdahl      | 9.1              | 8.9              | 9.0                  |  |
| BULL        | 9.0              | 8.2              | 8.2                  |  |
| IBM 309X    | 9.3              | 9.3              | 9.4                  |  |
| IBM 308X    | 9.2              | 9.0              | 9.0                  |  |
| NCR         | 9.1              | 8.8              | 9.0                  |  |
| All Vendors | 9.1              | 8.8              | 8.9                  |  |

INPUT





EXHIBIT IV-10

#### Large Systems Vendor Performance Software Support Required versus Received

| Vendor      | Mean<br>Required | Mean<br>Received | Mean<br>Satisfaction |
|-------------|------------------|------------------|----------------------|
| Amdahl      | 9.0              | 8.0              | 8.1                  |
| BULL        | 8.6              | 7.5              | 8.0                  |
| IBM 309X    | 8.6              | 7.9              | 7.9                  |
| IBM 308X    | 8.5              | 7.6              | 7.7                  |
| NCR         | 8.5              | 8.1              | 8.4                  |
| All Vendors | 8.6              | 7.8              | 8.1                  |



# Appendix

.





## Appendix: Questionnaire

#### A. GENERAL

- 1. What is the make and model of the main computer on your site and how many units do you have?
- - Units \_\_\_\_\_

All of the following questions that I am going to ask you are related to your \_\_\_\_\_\_ system.

4. Could you please rate the importance of the following criteria in selecting your service vendor, on a scale of 1 to 10 (1=Low, 10=High)?

|    | Criteria                               | <b>Rating</b> |
|----|--|---------------|
| a) | Price                                  |               |
| b) | Quality of service                     |               |
| c) | Guaranteed system availability level   |               |
| d) | Guaranteed availability of spare parts |               |
| e) | Technical expertise                    |               |
| f) | Response time on a service call        |               |
| g) | Availability of software support       |               |
| h) | Ability to provide other services      |               |
| i) | Contract flexibility                   |               |
| j) | Ability to maintain open systems       |               |
| k) | Ability to service other products      |               |
| 1) | Vendor reputation                      |               |

#### **B.** SERVICE VENDOR SELECTION

I would like to ask you some questions about the basic hardware maintenance of your computer system.

5. Would you please tell me who services your system hardware? Who is the primary service vendor? (check one)

(Please circle appropriate service provider type; multiple answers are allowed.) **Primary** 

| ٠ | Manufacturer                    | Y/N |           |
|---|---------------------------------|-----|-----------|
| • | Dealer/distributor              | Y/N |           |
| • | Independent maintenance company | Y/N |           |
| • | Own company                     | Y/N | . <u></u> |
| ٠ | Other                           | Y/N |           |

If the respondent answered YES to independent maintenance, continue with question 6A. If not, go to question 6B.

6A. Your system, or part of it, is serviced by an independent maintenance company. Could you tell me the reason why you use independent maintenance?

(Please circle appropriate answer; multiple answers are allowed.)

| • | Lower cost                           | Y/N |
|---|--------------------------------------|-----|
| ٠ | Local service                        | Y/N |
| ٠ | Single-source service                | Y/N |
| ٠ | Better able to maintain open systems | Y/N |
| ٠ | TPM service is higher quality        | Y/N |
| ٠ | More flexible contract               | Y/N |
| ٠ | Other                                | Y/N |
| ٠ | Do not know                          | Y/N |

(Go to question 7)

**6B.** You <u>do not</u> use an independent maintenance company. What is the reason for this? (Please circle appropriate answer; multiple answers are allowed.)

| ٠ | Satisfied with manufacturer                  | Y/N |
|---|--|-----|
| • | Manufacturer has a technological advantage   | Y/N |
| • | IMO cannot support software                  | Y/N |
| ٠ | Tied to manufacturer with long-term contract | Y/N |
| ٠ | Fear of system supplier response             | Y/N |
| ٠ | Considered and rejected IMO                  | Y/N |
| ٠ | IMO financial weakness                       | Y/N |
| ٠ | Unaware of IMO service                       | Y/N |
| • | Other  | Y/N |
| • | Do not know                                  | Y/N |

- 7. What maintenance coverage do you receive on this CPU:
  - a. How many days per week? \_\_\_\_\_
  - b. How many hours per day?
  - c. Which type of hardware maintenance contract do you currently have on the main part of your system?

(Please circle appropriate answer; only ONE answer allowed.)

| ٠ | Warranty           | 1 |
|---|--------------------|---|
| • | Five years         | 2 |
| ٠ | Three years        | 3 |
| ٠ | One year           | 4 |
| ٠ | Time and Materials | 5 |
| ٠ | Other              | 6 |
| • | None               | 7 |

8. Over the last 12 months, how many system interruptions (system failures) did you have per month? \_\_\_\_\_\_ or per year? \_\_\_\_\_\_

And what percentage of these system failures were due to:

Hardware \_\_\_\_\_%

Systems software \_\_\_\_\_%

Applications software \_\_\_\_\_%

Other (i.e., power failure) \_\_\_\_\_%

(Please check that percentages add up to 100%)

- 9. If we define SYSTEMS AVAILABILITY as the percentage of your normal working hours that the system is operational (disregarding non-critical peripheral outages), what percentage availability do you require? What is the percentage actually received over the last twelve months for that system?
  - Required \_\_\_\_\_%
  - Received \_\_\_\_\_%

- 10. Defining HARDWARE RESPONSE TIME as the time it takes between reporting a fault and the arrival of the service engineer on site, in working hours, what response time (in hours) do you require, and what did you actually experience as an average over the last twelve months?
  - Require\_\_\_\_Hours
  - Experienced \_\_\_\_\_ Hours
- 11. If REPAIR TIME is defined as the time taken to get the system fully operational from the time the engineer arrives on site, what time do you require (in working hours) and what time did you experience during the last twelve months?
  - Require\_\_\_\_Hours
  - Experienced \_\_\_\_\_Hours
- 12. I would now like to go through a list of seven aspects of hardware maintenance and ask you to give each a rating on a scale of 1-10 for the service level you require, the service level you receive, and your satisfaction with that service.

|   |                                 | Required | Received | <b>Satisfaction</b> |
|---|---------------------------------|----------|----------|---------------------|
| • | Spares Availability             |          |          |                     |
| ٠ | Engineer Skills                 | <u> </u> |          |                     |
| • | Documentation of<br>Maintenance |          |          |                     |
| ٠ | Help Desk Support               | <u> </u> |          | ·                   |
| ٠ | Remote Diagnostics              |          |          |                     |
| ٠ | Real-time Software Diagnostics  |          |          |                     |
| • | Overall Hardware Maintenance    |          |          |                     |

- **13.** If possible, I would like you to provide some information on hardware maintenance pricing.
  - a) What percentage price increase or decrease did you pay for hardware maintenance in the year 1990?
    - Increase \_\_\_\_\_%
    - Decrease \_\_\_\_\_%
    - No Change Y/N (Circle)

- b) What do you expect the price changes for hardware maintenance to be in the future, in percentage terms per year?
  - Increase \_\_\_\_\_%
  - Decrease \_\_\_\_%
  - No Change Y/N (Circle)

#### C. SOFTWARE SUPPORT

I would like to ask you some questions now regarding the software service that you receive. These questions relate to system software only—NOT APPLICATIONS SOFTWARE.

14A. Who supports your systems software?

(Please circle appropriate answer; multiple answers allowed.)

| ٠ | Hardware Manufacturer           | Y/N |
|---|---------------------------------|-----|
| ٠ | Other Hardware Service Provider | Y/N |
|   | (Specify)                       |     |
| ٠ | Software Product Vendor         | Y/N |
| ٠ | Value-Added Reseller (VAR)      | Y/N |
| ٠ | In-house                        | Y/N |
| ٠ | Other (Specify)                 | Y/N |
| ٠ | Do not know                     | Y/N |

14B. What type of systems software support contract do you currently have?

(Please circle appropriate answer. Only ONE answer allowed.)

| ٠ | Support included in software license fee | 1 |
|---|--|---|
| • | Three-year contract                      | 2 |
| • | One-year contract                        | 3 |
| ٠ | Ad hoc/custom                            | 4 |
| ٠ | None                                     | 5 |
| ٠ | Do not know                              | 9 |

- 15. What percentage of systems software problems are solved by telephone, and, on average, how long does this take in elapsed time?
  - Solved by Phone \_\_\_\_\_%
  - Elapsed Time \_\_\_\_\_Hours
- 16. For those problems that are NOT possible to solve over the telephone, what RESPONSE TIME would you find acceptable, and what time (on average and in working hours) have you experienced over the last twelve months? (Take RESPONSE TIME to mean from the time the problem is reported to the arrival of the engineer on site.)
  - Acceptable \_\_\_\_\_Hours
  - Experienced \_\_\_\_\_Hours
- 17. If FIX TIME is defined as the time taken to get the system software fully operational from the arrival of the engineer on site, then what time (in working hours) do you find acceptable, and what did you experience over the last twelve months?
  - Acceptable \_\_\_\_\_Hours
  - Experienced \_\_\_\_\_Hours

18. I would like to go through a list of aspects of SYSTEMS SOFTWARE SUPPORT and ask you to give an IMPORTANCE or REQUIRED rating of the aspect, a RECEIVED rating, and a SATISFACTION with service received rating for each. (Scale 1-10)

|   |                                   | Importance/<br>Required | Received | Satisfaction |
|---|-----------------------------------|-------------------------|----------|--------------|
| • | Software Engineer<br>Skills Level |                         |          |              |
| ٠ | Software Documentation            |                         |          |              |
| • | Software Installation             |                         |          |              |
| ٠ | Provision of Updates              |                         |          |              |
| ٠ | Operational Training              |                         |          |              |
| ٠ | Software Remote Support           | <u>-</u>                |          |              |
| ٠ | Software Support Overall          |                         |          |              |

- **19.** If possible, I would like you to provide some information on systems software support pricing.
  - a) What percentage price increase or decrease did you pay for systems software support in the year 1990?
    - Increase \_\_\_\_\_%
    - Decrease \_\_\_\_%
    - No Change Y/N (Circle)
  - b) What do you expect the changes for systems software support to be in the future, in percentage terms per year?
    - Increase \_\_\_\_\_%
    - Decrease \_\_\_\_\_%
    - No Change Y/N (Circle)

#### D. ANCILLARY SERVICES

I would like to discuss with you now services beyond normal maintenance. I am particularly interested in obtaining your views on other services or modified current service offerings that your service suppliers could provide that would help to improve the running of your computer systems.

20. On a scale of 1-10, could you rate your requirement for these services and what you are now receiving. (Scale 1-10; not required/receiving = 0)

|   |                                    | (a)<br>Require<br><u>(1-10)</u> | (b)<br>Received<br>( <u>1-10)</u> |
|---|------------------------------------|---------------------------------|-----------------------------------|
| • | Configuration Planning             |                                 |                                   |
| ٠ | Capacity Planning                  |                                 |                                   |
| ٠ | Environmental Planning             |                                 |                                   |
| ٠ | Cabling                            |                                 |                                   |
| ٠ | Software Evaluation                |                                 |                                   |
| • | Maintenance Related Training       |                                 |                                   |
| ٠ | Installation/De-installation/Moves |                                 |                                   |
| ٠ | Consulting                         |                                 |                                   |
| ٠ | Network Planning                   |                                 |                                   |
| ٠ | Network Management                 |                                 |                                   |
| ٠ | Disaster Recovery                  |                                 |                                   |
| ٠ | Facilities Management              |                                 |                                   |
| ٠ | Problem Management                 |                                 |                                   |
| • | Applications Software Support      |                                 |                                   |

- 21. How important is it that your service vendor communicates with you regularly and effectively to advise you of, for example:
  - The status of your system
  - Possible problems
  - Repair plans
  - Availability of spare parts
  - Routine visits
  - Hardware and software changes

Could you please rate your requirement for this communication on a scale of 1 to 10 where 1 indicates a low requirement or communication received and 10 is a high requirement or communication received.

- Required
- Received \_\_\_\_\_
- 22a. Do you currently receive any of the following multivendor services from your service provider? (Circle)

| a. | Service on other manufacturer's CPUs?             | Y/N |
|----|---|-----|
| b. | Service on other manufacturer's peripherals?      | Y/N |
| c. | Service on other manufacturer's network products? | Y/N |

22b. Please rate on a scale of 1-5 how important these services would be in the next three years for you. (1 = no interest and 5 = high interest)

|    |   | (1-5) |
|----|---|-------|
|    | Service on other manufacturer's CPUs?             |       |
|    | Service on other manufacturer's peripherals?      |       |
| c. | Service on other manufacturer's network products? |       |

22c. On a scale of 1-5, what would be your level of interest in a "single-point-of-contact" service arrangement?

(1 = no interest, 5 = high interest)

23a. Do you currently receive any of the following discounts off your service pricing?

23b. For those not receiving, what is your level of interest in these discounts?

|                                       | (a)<br>Y/N | (b)<br>LOI<br>(1-10) |
|---------------------------------------|------------|----------------------|
| Multi-year                            |            |                      |
| Prepayment                            |            |                      |
| Call Screening/<br>Problem Management |            |                      |
| Deferred Response                     |            | <u> </u>             |
| Other                                 |            | . <u></u>            |

24. To wrap this up, may I ask what you would consider to be your single most pressing service concern at this time?

25. And, if you could choose one additional service that your vendor is not currently providing, what would that be?

This completes the questionnaire. I would like to thank you on behalf of INPUT for helping us to complete this survey. To express our appreciation for your time, we will be sending you a "Thank You" package containing a summary of the results from our survey. To make sure you receive your complimentary report summary, let me check the spelling of your name and the address information. (Confirm and record on cover sheet.)



### **Report Quality Evaluation**

To our clients:

To ensure that the highest standards of report quality are maintained, INPUT would appreciate your assessment of this report. Please take a moment to provide your evaluation of the usefulness and quality of this study. When complete, simply fold, staple, and drop in the mail. Postage has been pre-paid by INPUT if mailed in the U.S.

| Report title:       U.S. Large Systems User Requirements, 1991 (FCNEW-1)         Please indicate your reason for reading this report:       Please indicate your reason for reading this report:         Required reading       New product development       Future purchase decision         Area of high interest       Business/market planning       Systems planning         Area of general interest       Product planning       Other         Please indicate extent report used and overall usefulness:       Extent       Usefulness (1=Low, 5=High)         Read       Skimmed       1       2       3       4       5         Complete report       Overview       Overvie   |  |  |  |  |  |
|---|--|--|--|--|--|
| Required reading       New product development       Future purchase decision         Area of high interest       Business/market planning       Systems planning         Area of general interest       Product planning       Other         Please indicate extent report used and overall usefulness:       Extent       Usefulness (1=Low, 5=High)         Read       Skimmed       1       2       3       4       5         Executive Overview       Ornplete report       Ornplete report       Ornplete report       Ornplete report       Ornplete report       Ornplete report  |  |  |  |  |  |
| Extent         Usefulness (1=Low, 5=High)           Read         Skimmed         1         2         3         4         5           Executive Overview         Image: State of the sta |  |  |  |  |  |
| Extent         Usefulness (1=Low, 5=High)           Read         Skimmed         1         2         3         4         5           Executive Overview         Image: State of the sta | Please indicate extent report used and overall usefulness: |  |  |  |  |
| Executive Overview  | ı)   |  |  |  |  |
| Complete report   |  |  |  |  |  |
|   |  |  |  |  |  |
| Part of report (%)  |  |  |  |  |  |
| How useful were:  |  |  |  |  |  |
|   |  |  |  |  |  |
|   |  |  |  |  |  |
| Recommendations   |  |  |  |  |  |
| How useful was the report in these areas:   |  |  |  |  |  |
| Alert you to new opportunities or approaches  |  |  |  |  |  |
| Cover new areas not covered elsewhere.  |  |  |  |  |  |
| Confirm existing ideas  |  |  |  |  |  |
| Meet expectations   |  |  |  |  |  |
| Which topics in the report were the most useful? Why?   |  |  |  |  |  |
| In what ways could the report have been improved?   |  |  |  |  |  |
| Other comments or suggestions:  |  |  |  |  |  |
|   |  |  |  |  |  |
| Name Title  |  |  |  |  |  |
| Department  |  |  |  |  |  |
| Company   |  |  |  |  |  |
| Address   |  |  |  |  |  |
| City State ZIP  |  |  |  |  |  |
| Telephone Date completed  |  |  |  |  |  |

Thank you for your time and cooperation.

M&S 633/01 12/89



FOLD HERE

