

# RESEARCHREOR

Minipaci of NOs on Selections of Indentici/Indianal Platforms Europe



# Impact of NCs on Selection of Internet/Intranet Platforms, Europe



Clients make informed decisions more quickly and economically by using INPUTs services. Since 1974, information technology (IT) users and vendors throughout the world have relied on INPUT for data, research, objective analysis and insightful opinions to prepare their plans, market assessments and business directions, particularly in computer software and services.

Contact us today to learn how your company can use INPUT's knowledge and experience to grow and profit in the revolutionary IT world of the 1990s.

### SUBSCRIPTION SERVICES

- Information Services Markets
  - Worldwide and country data
  - Vertical industry analysis
- Business Integration Markets
- Systems Integration and Professional Services Markets
- Client/Server Software Platforms
- Outsourcing Markets
- Information Services Vendor Profiles and Analysis
- Electronic Commerce/Internet
- U.S. Federal Government IT Markets
- IT Customer Services Directions (Europe)

### SERVICE FEATURES

- Research-based reports on trends, etc. (Over 100 in-depth reports per year)
- Frequent bulletins on events, issues, etc.
- 5-year market forecasts
- Competitive analysis
- Access to experienced consultants
- Immediate answers to questions
- On-site presentations

### **DATABASES**

- Software and Services Market Forecasts
- Software and Services Vendors
- U.S. Federal Government
  - Procurement Plans (PAR)
  - Forecasts
  - Awards (FAIT)
  - Agency Procurement Requests (APR)

### **CUSTOM PROJECTS**

For Vendors-analyse:

- Market strategies and tactics
- Product/service opportunities
- Customer satisfaction levels
- Competitive positioning
- Acquisition targets

### For Buyers-evaluate:

- Specific vendor capabilities
- Outsourcing options
- Systems plans
- Peer position

### **OTHER SERVICES**

Acquisitions/partnerships searches

# **INPUT** Worldwide

#### Frankfurt

Perchstätten 16 D-35428 Langgöns Germany

Tel: +49 (0) 6403 911420 Fax: +49 (0) 6403 911413

#### London

Cornwall House 55-77 High Street Slough, Berkshire SL1 1DZ UK

Tel: +44 (0) 1753 530444 Fax: +44 (0) 1753 577311

#### New York

400 Frank W. Burr Blvd. Teaneck, NJ 07666 U.S.A.

Tel: +1 (201) 801-0050 Fax: +1 (201) 801-0441

#### **Paris**

24, avenue du Recteur Poincaré 75016 Paris France

Tel: +33 (1) 46 47 65 65 Fax: +33 (1) 46 47 69 50

### San Francisco

1881 Landings Drive Mountain View CA 94043-0848 U.S.A.

Tel: +1 (650) 961-3900 Fax: +1 (650) 961-3966

### Tokyo

Saida Building, 4-6, Kanda Sakuma-cho Chiyoda-ku, Tokyo 101 Japan

Tel: +81 3 3864-0531 Fax: +81 3 3864-4114

### Washington, D.C.

1921 Gallows Road Suite 250 Vienna, VA 22182 3900 U.S.A.

Tel: +1 (703) 847-6870 Fax: +1 (703) 847-6872

# **Abstract**

Since their inception, network computers (NCs) have been lauded by many proponents as replacements for PCs. INPUT's view has always been that NCs will replace PCs only in situations where PCs have been deployed inappropriately due to lack of a viable alternative.

Instead, NCs will be used largely to replace existing mainframe/mini/X terminals, and also to convert some existing PC users operating in a localized environment to a network-centric environment.

Despite the attention given to NCs, their takeup to date has been low. INPUT believes that the market will accelerate as NCs become increasingly capable of front-ending server-based Windows applications, as Microsoft's Windows Terminal Server provides the infrastructure for redeploying existing applications in a thin client model, and as Java stabilizes and Java applications increase in availability and quality.

The NC market will be represented mostly by Windows terminals, or general-purpose NCs capable of running Windows as well as legacy terminal-based applications. The dedicated Java NC will not offer sufficient benefits to prompt a change in users' Windows-based environments.

This report examines users' use of and attitudes to NCs, including related server, database, network and object platforms, support costs, and comparisons between PCs and NCs.

Published by INPUT
Cornwall House 55-77 High Street Slough Berkshire SL1 1DZ

# Internet/Intranet Technologies & Solutions Program

# Impact of NCs on Selection of Internet/Intranet Platforms, Europe

Copyright © 1998 by INPUT. All rights reserved. Printed in the United Kingdom. No part of the publication may be reproduced or distributed in any form, or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

The information provided in this report shall be used only by the employees of and within the current corporate structure of INPUT's clients, and will not be disclosed to any other organisation or person including parent, subsidiary, or affiliated organisation without prior written consent of INPUT.

INPUT exercises its best efforts in preparation of the information provided in this report and believes the information contained herein to be accurate. However, INPUT shall have no liability for any loss or expense that may result from incompleteness or inaccuracy of the information provided.

# **Table of Contents**

I	Int	Introduction	
	A.	Objectives and Scope	1
	В.	Research Methodology	2
	C.	Report Structure	4
	D.	Related Reports	4
II	Ex	ecutive Summary	5
	A.	NC Usage Currently Low, But Set to Rise Dramatically	5
	В.	Client Devices Will Diversify, But Windows Will Remain the	
		Default Environment	6
		Network Upgrades Are Required For Widespread NC	
		Deployment	10
	C.	NCs Address PC Shortcomings, But PCs Are Responding	11
	D.	NCs Will Shift Support Costs From End User to Server and	
		Network	16
	E.	Market Forecasts	18
III	Cu	rrent Platform and NC Usage	23
	A.	Current State of NC Usage	23
	B.	Platforms in Current Use	29

i

IV	Suitability of NCs and Related Platforms for	
	Enterprise Computing	39
	A. Suitability of Existing Infrastructure for NC Support	39
	B. Suitability of NCs to Department and Application	46
	C. Suitability of NC Architecture	51
	D. Suitability of Java for Enterprise Use	52
	E. Client Characteristics	56
	F. PC and NC Strengths and Weaknesses	61
	G. Intranet Server Characteristics	74
V	Future NC and Related Platform Usage and	
	Requirements	77
	A. Future NC Usage	77
	B. Future Object Model Usage	82
	C. Influence of Intranet on NC Purchase Decisions	85
	D. Likelihood of Future NC Scenarios	86
	E. Future Important Server Characteristics	88
VI	Budgets and Costs	93
	A. Overall IT Budgets	93
	B. Effect of NC Deployment on IT Costs	95
A	Buyer Questionnaire	A-1

# **List of Exhibits**

Ι		
	-1 Sample Breakdown by Country	2
	-2 Sample Breakdown by Industry	3
II		
	-1 State of NC Usage - Europe	5
	-2 Client Platforms in Current Use - Europe	7
	-3 Best Suited NC for Current IT Environments - Europe	7
	-4 Most Suitable Server for NCs - Europe	9
	<ul> <li>-5 Suitability of Network Platforms for NCs - Europe</li> <li>-6 Most Important Client Platform Characteristics - Europe</li> </ul>	$\begin{array}{c} 11 \\ 12 \end{array}$
	-7 PC Characteristics Receiving High Satisfaction Ratings - Europe	13
	-8 PC Characteristics: Importance v.'s Satisfaction - Europe	14
	-9 PC/NC Strengths and Weaknesses	15
	-10 Expected Detailed Change in End User Support Costs With NCs	16
	-11 Expected Change in All Support Costs With NCs	17
	-12 Overall NC Shipments, 1997 and 2002—Worldwide	18
	-13 NC Shipments by Type, 1997-2002—Worldwide	19
	-14 Overall NC Market Value, 1997 and 2002—Worldwide	19
	-15 NC Market Value by Type, 1997 and 2002—Worldwide	20
	-16 NC Shipments, 1997-2002—by Region	21
	-17 NC Market Value, 1997-2002—by Region	22
III		
	-1 State of NC Usage - Europe	23
	-2 State of NC Usage - UK	24
	-3 State of NC Usage - France	24
	-4 State of NC Usage - Germany	25
	-5 State of NC Usage - Banking/Finance	25
	-6 State of NC Usage - Discrete Manufacturing	26
	-7 State of NC Usage - Insurance	26
	-8 State of NC Usage - Process Manufacturing	27
	-9 State of NC Usage - Retail	27 28
	-10 State of NC Usage - Utilities -11 State of NC Usage - Wholesale	28 28
	-12 Client Platforms in Current Use - Europe	29
	-13 Client Platforms in Current Use - UK	30
	-14 Client Platforms in Current Use - France	30
	-15 Client Platforms in Current Use - Germany	31
	-16 Server Platforms in Current Use - Europe	32
	-17 Database Platforms in Current Use - Europe	33
	-18 Network Platforms in Current Use - Europe	34
	-19 Penetration of Intranets - Europe	35
	-20 Intranet Accessibility - Europe	36

	-21 Object Models in Current Use - Europe	37
	-22 Object Models in Current Use - UK	37
	-23 Object Models in Current Use - France	38
	-24 Object Models in Current Use - Germany	38
[V		
	-1 Suitability of Server Platforms for NCs - Europe	40
	-2 Most Suitable server Platform for NCs - Erurope	41
	-3 Suitability of Data Platforms for NCs - Europe	42
	-4 Most Suitable Database Platform for NCs - Europe	43
	-5 Suitability of Network Platforms for NCs - Europe	44
	-6 Most Suitable Network Platform for NCs	45
	-7 Suitability of NCs by Department - Europe	46
	-8 Suitability of NCs by Department - Country	48
	-9 Suitability of NCs by Application - Europe	49
	-10 Suitability of NCs by Application - Country	50
	-11 Best Suited NC Type for Current IT Environments - Europe	52
	-12 Suitability of Java as Programming Language for Enterprise Use - Europe	53
	-13 Suitability of Java as Programming Language for Enterprise Use, by Ratingm- Europe	53
	-14 Suitability of JVM as Environment for Enterprise Use - Europe	54
	-15 Suitability of JVM as Environment for Enterprise Use,	
	by Rating - Europe	55
	-16 Importance of Client Platform Characteristics - Europe	57
	-17 Satisfaction of PC Characteristics - Europe	58
	-18 PC Characteristics: Importance v's Satisfaction - Europe	60
	-19 PC/NC Strengths and Weaknesses	61
	-20 PC Strengths - UK	62
	-21 PC Strengths - France	63
	-22 PC Strengths - Germany	64
	-23 PC Weakness - UK	65
	-24 PC Weakness - France	66
	-25 PC Weakness - Germany	67
	-26 NC Strenghts - UK	68
	-27 NC Strenghts - France	69
	-28 NC Strengths - Germany	70
	-29 NC Weaknesses - UK	71
	-30 NC Weaknesses - France	72
	-31 NC Weaknesses - Germany	73
	-32 Importance of Intranet Server Characteristics - Europe	75
	-33 Satisfaction with Intranet Server Characteristics - Europe	76
	-34 Intranet Server Characteristics in Need of Improvement	77

IV		
	-1 Likelihood of NC Use in Live Applications by Mid-1998 - Europe	78
	-2 Reasons for Not Deploying NCs by Mid-1998 - UK	79
	-3 Reasons for Not Deploying NCs by Mid-1998 - France	80
	-4 Reasons for Not Deploying NCs by Mid-1998 - Germany	81
	-5 Object Models Expected Mid-1999 - UK	82
	-6 Object Models Expected Mid-1999 - France	82
	-7 Object Models Expected Mid-1999 - Germany	83
	-8 Influence of Intranet on Future NC Purchases - Europe	85
	-9 Perceived Likelihood of Future NC Scenarios1 - Europe	87
	-10 Server Characteristics of Most Importance By Mid-19993	
	- Europe	89
	-11 Server Characteristics of Most Importance By Mid-19993	
	- UK	90
	-12 Server Characteristics of Most Importance By Mid-19993	
	- France	91
	-13 Server Characteristics of Most Importance By Mid-19993	
	- Germany	92
 VI		
	-1 Breakdown of IT Budgets - Europe	94
	-2 Expected Net Effect on End User Support Costs With NCs	
	- Europe	95
	-3 Expected Detailed Change in End User Support Costs With	
	m NCs	96
	-4 Expected Detailed Change in All Support Costs With NCs	97



# Introduction

### Δ

# **Objectives and Scope**

The network computer (NC) concept has failed to attract large numbers of users away from PCs, as many of its proponents have argued over the past two years that it would. However, INPUT has always viewed the classic NC as a replacement for terminals and an appropriate device for users with low computing needs.

The NC market is highly dynamic—the nature of NCs is changing, from the Java-centric terminals proposed in 1996 to terminals designed to access server-based Windows and legacy applications.

This report examines users' use of and attitudes to NCs, including related server, database, network and object platforms, support costs, and comparisons between PCs and NCs.

### B

# Research Methodology

INPUT interviewed 90 large UK, French and German companies during November 1997 (Exhibit I-1). Exhibit I-2 shows the industry sector breakdown. The questionnaire used for this survey appears at the end of this report (Appendix A).

Exhibit I-1

# Sample Breakdown by Country





Exhibit I-2

# Sample Breakdown by Industry



### C

# Report Structure

- Chapter II—Executive Summary—presents a summary of the key findings of this report, plus market forecasts
- Chapter III—Current Platform and NC Usage—shows patterns of NC and other platform and network use
- Chapter IV—Suitability of NCs and Related Platforms for Enterprise Computing—shows suitability of server, database and network platforms for NC use, NCs for individual applications and functions, NCs by architecture type, Java, and importance/satisfaction of client platform characteristics.
- Chapter V—Future NC and Related Platform Usage and Requirements—presents anticipated future takeup of NCs, future object use and NC scenarios, and future requirements of server platforms
- Chapter VI—Budgets and Costs—shows a breakdown of IT budgets and expected affect of NC deployment on all IT support costs

#### D

# **Related Reports**

- Use of Internet Appliances in the Corporation, U.S., 1996
- Use of Internet Appliances in the Corporation, Europe, 1996



# **Executive Summary**


### Δ

# NC Usage Currently Low, But Set to Rise Dramatically

As of mid- to late-1997, only a small proportion of organisations were using NCs (Java terminals, hybrid terminals and Windows terminals), either in trials or for live applications. Only 3% of survey respondents were using NCs at the time of interviewing, with a further quarter considering their use. Exhibit II-1 shows the state of NC usage as of mid-1997.

#### Exhibit II-1

# State of NC Usage—Europe



Overall, respondents did not consider it likely that they would be using NCs for live applications (as opposed to pilot schemes) by mid-1998. Most respondents rated the possibility at only 1 or 2 out of 5.

Despite this negative response, the NC market is changing extremely rapidly, due primarily to the convergence of NCs and Windows—NCs are increasingly being used to access host-based Windows applications, and NC-like features are being built into PCs . INPUT expects the actual uptake of thin clients (not delineated by strict architectural definitions, and including NCs, Windows terminals, and NC-like PCs) to be considerably higher than the current takeup rate of NCs might suggest; shipments will rise from 300,000 in 1997 to 18 million in 2002.

### B

# Client Devices Will Diversify, But Windows Will Remain the Default Environment

Much of the drive behind NCs has been their role in not only displacing PCs but also in creating a new application environment, based on Java. This has yet to occur, and INPUT forecasts that, while client platforms will diversify in terms of underlying technology and architecture, the application environment of users will remain mostly Windows-based.

Most users looking to reduce client support costs and administrative overhead have not moved to an NC environment. The changes required in application architecture and partitioning, and the level of application availability are unknown to many users, prompting a "do nothing" response. The release of Windows Terminal Server, however, following Microsoft's licensing of Citrix' NT multi-user technology and ICA (intelligent console architecture) protocol will change that situation drastically. Users will be able to, with a degree of comfort, replace clients with Windows terminals while retaining their existing applications, running on the server instead of the client.

NC vendors will achieve greatest success in providing low-cost, low-support front ends to server-based Windows and legacy applications. For this reason, hybrid NCs and Windows terminals will account for more NC sales than will Java devices. NC vendors have recognized this: Wyse, NCD, Neoware, and Tektronix all target Windows as well as terminal users in their offerings.

This is backed up by the findings of this survey. There is a correlation between the proportions of client platforms in current use and users' perceptions of the best-suited NC type for their organisation. Exhibit II-2 shows client platform use by respondents.

### Exhibit II-2

### Client Platforms in Current Use—Europe





Exhibit II-3 shows the proportions of respondents that considered each of the three types of NC most suitable to their existing environments.

### Exhibit II-3

# Best Suited NC Type for Current IT Environments—Europe



The proportions of users stating each NC type are similar to the existing breakdown of client platforms. Fifteen percent of client platforms across the sample organisations run UNIX, and 15% of respondents considered Java terminals best suited to their existing environment.

Similarly, 20% of clients are mainframe/X terminals, and 25% of users regarded hybrid terminals as most suitable.

INPUT attributes this correlation to the likelihood that NCs will be deployed along architectural lines:


- Java terminals will tend to be placed in UNIX (particularly Sun) environments, despite Java's ability to run on most platforms.
- Hybrid terminals will tend to be placed in environments of mixed servers (mainframe, mini, Windows and UNIX).
- Windows terminals, naturally, will tend to be placed in Windows environments.

An indication of this architectural pattern of NC deployment was given by the survey. Among respondents who stated that the hybrid terminal would be most suitable, current usage of X/mainframe terminals is more than twice that of organisations who stated another type of NC would be most suitable.

In addition, users consider Windows NT to be the most suitable server operating system for supporting NCs. While UNIX and NT received similarly high ratings for suitability in an NC environment, when asked to select the single most suitable operating system, NT was stated by half of respondents and UNIX by a quarter (Exhibit II-4).

### Exhibit II-4

### Most Suitable Server for NCs—Europe



INPUT concludes that the most common NC environment will be hybrid terminals capable of fronting Windows and legacy applications, or dedicated Windows terminals, sharing a Windows NT or Windows Terminal server.

By 2002, NCs with a Windows presentation capability will represent 70% of NC shipments, the remaining 30% comprising legacy-only or Java-only NCs.

### C

# **Network Upgrades Are Required For Widespread NC Deployment**

PCs are not, fundamentally, network devices, and only relatively recently have PCs been sold with pre-installed network cards and networking capabilities built into the operating system.

Throughout much of its history, the PC has been a standalone device, and most application software has assumed the model of a standalone, or at least heavily localized client. Application software is becoming network-based, but much network traffic is still simple file transfer and print spooling.

The centralised, server-based NC model puts the network at the heart of IT infrastructure, by design, and so demands a robust, scaleable, high-performance network architecture. For NCs of all types to be deployed on a large scale, network infrastructure must be upgraded in most organisations.

Standard 10Mbps Ethernet is the most widespread network architecture, used as a primary corporate network by two thirds of respondents, and Token Ring still retains a large installed base, used by one third of respondents. Fast Ethernet (100Mbps) is used as a primary network by only 18% of respondents.

However, 10Mbps Ethernet and, to a lesser extent, Token Ring are not regarded as properly suited to the demands of an NC environment, as Exhibit II-5 shows. Only network types with low penetration (Fast Ethernet and ATM) are regarded as suitable (only seven percent of respondents operated an large-scale ATM network, but they rated its suitability for NCs highly).


In addition, when asked to select the network most suitable to an NC environment, 100Mbps Ethernet was the favored choice, with 49% of respondents. ATM followed, chosen by 32%.

The disparity between Fast Ethernet's and ATM's perceived ability to support the requirements of NC users and their current penetration indicates the need for widespread changes in network infrastructure to take place for NCs to achieve their potential.

Users recognise the need for such upgrades, and the associated support requirements: 82% of users expect NCs to increase network and communications costs.

Exhibit II-5

# Suitability of Network Platforms for NCs—Europe



### D

# NCs Address PC Shortcomings, But PCs Are Responding

From their inception, NCs were promoted as a solution to long-standing problems with the PC model, those problems being: high degree of localization, high complexity, and resultant high support costs. The NC solution results in lower localization (greater centralization), less complexity for user and administrator, and subsequent lower support costs.

In highlighting these issues, NC proponents have prompted PC vendors to respond. Examples include:

- Microsoft—first issued the NetPC reference specification, followed by the "Zero Administration" initiative. Microsoft's current thin client strategy, Windows Terminal Server, will boost the NC market considerably and in addition will enable Microsoft to compete in the multi-user server market against UNIX vendors.
- Intel—acquired 4.4% of NCD and licensed technology to NCD so that the latter may manufacture Intel-specified thin clients. NCD also manufactures IBM's Network Station range of NCs and develops and markets its own range of Explora thin clients, based on the company's previous X terminals.

 SNI—among the first vendors to release a PC based on the NetPC specification, including a sealed unit, no floppy disk drive, and smartcard access security.

As stated previously, NCs able to present Windows applications running on an NT server will represent most of the NC market. With the final release of Windows Terminal Server (due second quarter of 1998), PC vendors will enter the NC market currently held by IBM, Neoware, Wyse, NCD, and others.

Despite the shape of the future client platform market, most of the current PC installed base is suffering from the existing, long-standing problems. Exhibit II-6 shows the characteristics of client platforms (not specifically PCs or NCs, but all client platforms) that respondents rated as most important.

All of the characteristics shown are those which INPUT identifies as fundamental strengths of NCs.







Exhibit II-7 shows the characteristics of PCs that respondents rated most highly for satisfaction. The top three characteristics are not fundamental NC strengths. There is a tendency for NCs to be strong in those areas where PCs are rated lowest. For example, PCs were rated poorly for centralised application and data management, but NCs are inherently strong in this area.





As a further illustration, Exhibit II-8 shows the importance of client platform characteristics plotted against satisfaction with PCs for the same characteristics. The categories which INPUT identifies as NC strengths are marked with a white cross.

The only category in which PCs perform noticeably well compared with its importance is ease of use. The categories in which PCs perform worst are all basic strengths of NCs (support costs, centralised application and data management, and centralised system management).

PC Characteristics: Importance vs Satisfaction—Europe




Exhibit II-9 summarizes the major strengths and weaknesses identified by users of PCs and NCs.

Exhibit II-9

# PC/NC Strengths and Weaknesses

Platform	Main Strengths	Main Weaknesses
PC	De facto standard	Administration overhead and cost
	User autonomy	
NC	Centralised environment	Unproven concept and technology
	Low administration overhead and costs	Dependence on network and server

Source: INPUT

The introduction of a Windows-based thin client framework backed by Windows Terminal Server goes a long way to addressing current PC shortcomings. Windows terminals gain the strengths of NCs while tackling the administration problems of PCs. In doing so, they also gain a perceived weakness of NCs, dependence on a back-end server and network. INPUT does not view this dependence as a fundamental weakness or limitation, but as an architectural shift that is a prerequisite for network computing.

### F


# NCs Will Shift Support Costs From End User to Server and Network

NCs will reduce client support costs, but the changes in support costs vary widely across the spectrum of IT, from desktop-level end-user support to server and network support.

Exhibit II-10 details of the amount of change in end-user support costs expected by respondents—a decrease of up to 40% overall.

Exhibit II-10


# **Expected Detailed Change in End User Support Costs With NCs**



Users do not view NCs as cost saving devices when the whole IT infrastructure is considered, however. Around 40% expect server-related support spending to increase in an NC environment, and 80% anticipate cost increases in network and communications-related support.

Exhibit II-11

## **Expected Change in All Support Costs With NCs**



### F

# **Market Forecasts**

The market for NCs—Java, hybrid, and Windows—will grow at an extremely high rate between 1997 and 2002. Exhibit II-12 shows unit shipments for 1997 and 2002 for all NC types combined. Exhibit II-13 shows unit shipments by year between 1997 and 2002 for Windows-based NCs and other, non-Windows NCs (terminal replacements and Javabased devices).

Exhibits II-14 and II-15 show market value for NCs combined and for NCs by type.

Exhibits II-16 and II-17 show shipments and market value by region.

Exhibit II-12

# Overall NC Shipments, 1997 and 2002—Worldwide




Exhibit II-13

# NC Shipments by Type, 1997-2002—Worldwide




Exhibit II-14

# Overall NC Market Value, 1997 and 2002—Worldwide




Exhibit II-15

# NC Market Value by Type, 1997-2002—Worldwide




Exhibit II-16

# NC Shipments, 1997-2002—by Region






Exhibit II-17

# NC Market Value, 1997-2002—by Region





# **Current Platform and NC Usage**


### A

# **Current State of NC Usage**

NCs are in use in only around 3% of organisations surveyed. A quarter of respondents are currently considering their use, and half have not yet evaluated NC use. Exhibit III-1 shows the state of NC usage as of mid-1997; Exhibits III-2 to III-4 show the breakdown for the UK, France, and Germany; Exhibits III-5 to III-11 show responses by industry sector.

### Exhibit III-1

# State of NC Usage—Europe



23

Exhibit III-2

# State of NC Usage—UK





Exhibit III-3

# State of NC Usage—France



## State of NC Usage—Germany





Exhibit III-5

# State of NC Usage—Banking/Finance



25

## State of NC Usage—Discrete Manufacturing






Exhibit III-7

## State of NC Usage—Insurance



## State of NC Usage—Process Manufacturing



## Exhibit III-9

## State of NC Usage—Retail




Exhibit III-10

## State of NC Usage—Utilities





Exhibit III-11

## State of NC Usage—Wholesale



## В


# **Platforms in Current Use**

## 1. Client Platforms

Exhibit III-12 breaks down current client platforms in use across the surveyed organisations. Most client platforms are PCs (most running MS Windows, but also including other PC operating systems and Apple Macintoshes).

## Exhibit III-12

## Client Platforms in Current Use—Europe



PC usage is similar across the UK, France and Germany, but UNIX is rather more common in Germany than in France, and mainframe and X terminals are more common in France than in Germany (Exhibits III-13 to III-15).

Exhibit III-13

## Client Platforms in Current Use---UK






Exhibit III-14

## Client Platforms in Current Use-France



# Client Platforms in Current Use—Germany




#### 2. Server Platforms

Exhibit III-16 shows the primary server platforms currently in use. Windows NT continues to encroach into UNIX' installed base, and the use of Netware as a primary platform continues to decline.

Exhibit III-16

## Server Platforms in Current Use—Europe




## 3. Databases

Exhibit III-17 shows the database platforms most commonly in current use. Oracle retains its strong position in the database market, yet Access is as widely used, and will increase in use as deployment of Windows NT increases.

Exhibit III-17

## **Database Platforms in Current Use—Europe**




## 4. Networks

Exhibit III-18 shows the networks most commonly in current use. Standard Ethernet (10Mbps) is still by far the most comon architecture, with Fast Ethernet (100Mbps) yet to ahieve significant penetration.

Exhibit III-18

## Network Platforms in Current Use-Europe




## 5. Intranets

Around 40% of users across Europe are operating or developing an Intranet (Exhibit III-19).

Exhibit III-19

## Penetration of Intranets—Europe



The proportions of users with Intranets across the countries surveyed are:

• UK: 40%


• France: 37%

• Germany: 47%

Within those organisations, Intranets are accessible by, on average, half the user population, although accessibility varies from negligible to 100% (see Exhibit III-20).

Exhibit III-20

## Intranet Accessibility—Europe




## 6. Object Models

Most organisations do not have an enterprise-wide object model in place. Just 16% use CORBA and 4% use OLE/COM, with 80% using nothing currently.

Exhibit III-21


## **Object Models in Current Use—Europe**



UK and French respondents indicated very similar levels of usage of the CORBA and OLE/COM frameworks, but CORBA was more prevalent among German respondents (Exhibits III-22 to III-24)

Exhibit III-22

# Object Models in Current Use—UK



# **Object Models in Current Use—France**





Exhibit III-24

## **Object Models in Current Use—Germany**





# Suitability of NCs and Related Platforms for Enterprise Computing

### A


# Suitability of Existing Infrastructure for NC Support

## 1. Server Platforms

Exhibit IV-1 shows the perceived suitability of server platforms for supporting NC users. NT and UNIX are both considered highly suited to NC environments, but the other platforms in common usage are regarded emphatically as unsuitable.

Exhibit IV-1


## Suitability of Server Platforms for NCs—Europe



UNIX and NT received very similar responses for usage and suitability for NC support. However, when asked to select the one most suitable platform, Windows NT was the clear choice: 55% of respondents selected NT compared with 28% for UNIX, and only very small proportions for other platforms (Exhibit IV-2)

Exhibit IV-2

## Most Suitable Server Platform for NCs—Europe




## 2. Database Platforms

Exhibit IV-3 shows the perceived suitability of database platforms for supporting NCs. Only Oracle can be said to be considered "very suitable", rated at 4.1 out of 5, while Access must be regarded as only moderately suitable. Lotus Notes, with its rich Internet/Intranet functionality is a better fit for NCs currently.

Exhibit IV-3


## Suitability of Database Platforms for NCs—Europe



When asked to select the most suitable database, Oracle was the overwhelmingly popular choice, selected by 73% of respondents (Exhibit IV-4). Lotus Notes and Access were each chosen by only eight percent of respondents, and other databases by even fewer. While Lotus Notes is considered reasonably well matched to NCs, Oracle is the clear choice of users, given the scenario of a single-database environment.

Exhibit IV-4

## Most Suitable Database Platform for NCs—Europe




## 3. Network Platforms

Exhibit IV-5 shows the perceived suitability of network platforms for supporting NCs. Fast Ethernet (100Mbps Ethernet) is considered to be very highly suitable, rated at 4.5 out of 5, while standard 10Mbps Ethernet, still the most widespread network architecture, is considered unsuitable.

Only seven percent of users claimed to operate an ATM network as a primary network. Few of those users rated ATM's suitability for supporting an NC environment, hence ATM's absence from the Exhibit below, but those ratings received were high.

Exhibit IV-5

## Suitability of Network Platforms for NCs—Europe




When asked to select the most suitable network for an NC environment, 100Mbps Ethernet was the favored choice, with 49% of respondents. ATM followed, chosen by 32% (Exhibit IV-6).

The disparity between Fast Ethernet's and ATM's perceived ability to support the requirements of NC users and their current penetration indicates the need for widespread changes in network infrastructure to take place for NCs to operate on a large scale.

Exhibit IV-6

## Most Suitable Network Platform for NCs—Europe



## В

# Suitability of NCs to Department and Application

Exhibit IV-7 shows the suitability of NCs to individual departments as perceived by respondents. Sales, HR, and marketing are considered moderately suitable for NC deployment, and departments typically populated by power users are rated as less suitable: IS, corporate management, product development, and finance form most of the lowest rated departments.



## Suitability of NCs by Department—Europe





Exhibit IV-8 shows how suitable respondents in each country considered NCs to be for individual departments. For each country, the three most suited departments (listed in order) were:

- UK—sales, HR, marketing
- France—HR, marketing, and sales
- Germany—sales, marketing, customer service

Exhibit IV-8

## Suitability of NCs by Department—by Country



Collaborative applications (primarily messaging and groupware) are considered reasonably highly suitable for NCs. Unlike the other applications listed (with the exception of ERP), collaborative applications are inherently network-centric, to the extent that their operation relies totally on an underlying network infrastructure. It is no surprise, therefore, to find their suitability for NCs to be perceived as significantly above average. Once again, power user applications (financial and scientific/engineering) are considered to be unsuitable for NCs.

Exhibit IV-9

## Suitability of NCs by Application—Europe





Exhibit IV-10 shows how suitable respondents in each country considered NCs to be for individual applications. For each country, the three most suited applications (listed in order) were:

- UK—collaboration, office applications, financial
- France—collaboration, office applications, financial
- Germany—collaboration, content creation, office applications

Exhibit IV-10

## Suitability of NCs by Application—by Country



## C

# **Suitability of NC Architecture**

INPUT defines three types of NC:

- Java terminal
- Hybrid terminal
- Windows terminal

Exhibit IV-11 shows the proportions of respondents that considered each of these three types of NC above to be most suitable to their existing environments.

The proportions of users stating each NC type are similar to the existing breakdown of client platforms. Fifteen percent of client platforms across the sample organisations run UNIX, and 15% of respondents considered Java terminals best suited to their existing environment.

Similarly, 20% of clients are mainframe/X terminals, and 25% of users regarded hybrid terminals as most suitable.


While most NCs are not specialized for a particular environment, INPUT attributes this correlation to the likelihood that NCs will be deployed along architectural lines:

- Java terminals will tend to be placed in UNIX (particularly Sun) environments, despite Java's ability to run on most platforms.
- Hybrid terminals will tend to be placed in environments of mixed servers (mainframe, mini, Windows and UNIX).
- Windows terminals, as expected, will tend to be placed in Windows environments.

An indication of this architectural pattern of NC deployment was given by the survey. Among respondents who stated that the hybrid terminal would be most suitable, current usage of X/mainframe terminals is more than twice that of organisations who stated another type of NC would be most suitable.

Exhibit IV-11

## **Best Suited NC Type for Current IT Environments—Europe**



## D

# Suitability of Java for Enterprise Use

A critical issue for several NC vendors, particularly Sun, is the viability of Java for enterprise-wide use. Of the three types of NC—Java terminal, hybrid terminal, and Windows terminal—the success of Java terminals such as Sun's JavaStation depends largely on the ability of organizations to deploy Java applets and applications that meet requirements of performance, security, and functionality. To date, Java has not met all of these requirements.

As a result, users do not currently consider Java to be suitable for enterprise use. Exhibit IV-12 shows how suitable respondents consider the Java programming language to be. Exhibit IV-13 shows the individual 1-5 ratings given. While most users rated the suitability of Java as a programming language as 3 or lower for mid-1997, most gave it a rating of 4 or 5 for its expected suitability by mid-1999.

Exhibit IV-12

# Suitability of Java as Programming Language for Enterprise Use—Europe




Exhibit IV-13

Suitability of Java as Programming Language for Enterprise Use, by Rating—Europe




Exhibit IV-14 shows how suitable respondents consider the Java Virtual Machine (JVM) environment to be. (A JVM is the "sandbox" on a host machine that provides the environment in which Java code is executed.) Exhibit IV-15 shows the individual 1-5 ratings given.

Similarly to Java as programming language, users expect the JVM platform to become more suitable for enterprise-wide use by mid-1999. This means, primarily, higher performance and increased stability and robustness. INPUT also expects JVMs to become more relaxed in terms of their restrictions on native communication with the underlying operating system. This will increase functionality and performance at the expense of Java application portability, but this will be perceived as a necessary tradeoff.

#### Exhibit IV-14

## Suitability of JVM as Environment for Enterprise Use—Europe





Exhibit IV-15

Suitability of JVM as Environment for Enterprise Use, by Rating—Europe



## F

## Client Characteristics

Exhibit IV-16 shows the importance respondents attached to several characteristics of client platforms (not specifically PCs or NCs, but all client platforms).

Characteristics marked with "(\*)" are those which INPUT identifies as fundamental strengths of NCs:

- Security
- Support cost
- Network configurability
- Centralised system management
- Centralised application and data management
- Terminal support

For example, NCs are strong in centralised application and data management, due to the design principle underlying them—their lack of local storage necessitates a centralised approach to software and data, as opposed to a localized client, such as a PC, which typically relies on local storage.

Purchase cost is not included in the list of NC strengths. Much attention has been paid to the supposedly lower purchase price of NCs, but INPUT does not consider this an overwhelming strength. The \$500 price tag frequently referred to in the early days of NCs has yet to be realized; in addition, purchase cost is a relatively small proportion of total cost of ownership.

Ease of use, too, is not identified as a fundamental strength of NCs. While their lack of end-user configurability removes much of the complexity of PCs, and therefore enhances their ease of use, most user interaction is with application software, the quality of which is variable and not inherent to the NC itself.

As Exhibit IV-16 shows, NCs are strong in all the most important characteristics of client platforms. Rated at 4.0 out of 5 and above, these "most important" characteristics are the only ones which INPUT

evaluates as "very important". A rating of 3.6 for performance, for example, is considered to be of only medium importance.

Exhibit IV-16 Importance of Client Platform Characteristics—Europe





Exhibit IV-17 shows how satisfied respondents are with their PCs for the same set of characteristics. As before, characteristics marked with "(\*)" are those which INPUT identifies as NC strengths.

There is a tendency for NCs to be strong in those areas where PCs are rated lowest. For example, PCs are rated poorly for centralised application and data management, at 2.6 out of 5, but NCs are strong in this area for the reasons give above.

Exhibit IV-17

## Satisfaction with PC Characteristics—Europe



To further illustrate the difference in strengths between PCs and NCs, Exhibit IV-18 shows the importance of client platform characteristics plotted against satisfaction with PCs for the same characteristics. The categories which INPUT identifies as NC strengths are marked with a white cross.

Items below the dotted line are rated poorly compared with the importance attached to them; items above the dotted line, conversely, are rated highly.

The only category in which PCs perform noticeably well compared with its importance (furthest above the dotted line) is ease of use.


The categories in which PCs perform worst (furthest below the dotted line) are:

- Support costs
- Centralised application and data management
- Centralised system management

As noted above, NCs are strong in the areas in which PCs perform poorly, and not strong (although not necessarily weak) in the areas in which PCs perform well.

Exhibit IV-18

# PC Characteristics: Importance vs Satisfaction—Europe



#### F

# PC and NC Strengths and Weaknesses

Respondents were asked to describe which aspects of PCs and NCs they considered strengths and weaknesses. Exhibits IV-20 to IV-31 show the responses given in each country.

The major strengths and weaknesses are summarized in Exhibit IV-19. It is evident that PCs are not under immediate widespread threat from NCs by the strength most consistently associated with them—the PC is so widely accepted ("entrenched" according to one respondent), that it has become seen as a de facto standard, even though much of PC hardware and software architecture remains essentially proprietary.

NCs suffer the opposite—being an "unknown quantity" according to many respondents, they have to gain acceptance not just in technological terms, but against the backdrop of PC dominance. In order to challenge the PC, they must resolve the consistently reported shortcomings of PCs: administration overhead and cost, and lack of centralised management. However, both of these problem areas are rapidly being addressed by PC hardware and software vendors, including Intel and Microsoft. As PCs adopt the beneficial features of NCs, so NCs lose much of their advantage.

INPUT maintains its view that NCs will not replace PCs, except in situations where over-functional PCs have been deployed in the absence of a viable alternative.

#### Exhibit IV-19

## PC/NC Strengths and Weaknesses

Platform	Main Strengths	Main Weaknesses	
PC	De facto standard	Administration overhead and cost	
	User autonomy		
NC	Centralised environment	Unproven concept and technology	
	Low administration overhead and costs	Dependence on network and server	

Source: INPUT

## 1. PC Strengths

Exhibit IV-20

## PC Strengths—UK




Exhibit IV-21

## PC Strengths—France





Exhibit IV-22

## PC Strengths—Germany



#### 2. PC Weaknesses

Exhibit IV-23

#### PC Weaknesses—UK




Exhibit IV-24

## PC Weaknesses—France





Exhibit IV-25

## PC Weaknesses—Germany



## 3. NC Strengths

Exhibit IV-26

## NC Strengths—UK




Exhibit IV-27

## **NC Strengths—France**






Exhibit IV-28

## NC Strengths—Germany



#### 4. NC Weaknesses





## NC Weaknesses—France





Exhibit IV-31

## NC Weaknesses—Germany



#### G

#### **Intranet Server Characteristics**

Exhibit IV-32 shows the importance that respondents attached to characteristics of a Intranet server. The characteristics considered most important are not of direct relevance to thin client computing. Those rated at 4.0 or higher were:

- Security
- Availability
- Performance
- Centralised management
- Scalability

These characteristics are applicable to all types of server—file, print, application, and network—which indicates that users are concerned less with their client requirements than they are with ensuring a stable server platform.

The characteristics of particular relevance to thin client computing—server-side Java, multi-client Windows support, and NC support—are considered to be less important to an Intranet server. NC support, rated at 3.1 out of 5, is not considered highly important overall. Although most respondents within the sample do not yet use NCs, the low rating given to NC support suggests that NCs are not a high priority for many users.

Exhibit IV-32






Exhibit IV-33 shows how satisfied users who currently have an Intranet are with the same set of Intranet server characteristics. Users are relatively dissatisfied with the most important characteristics—security, performance, centralised management, and support costs are all important aspects, yet are rated poorly in terms of satisfaction (see Exhibit IV-34).

NC support is rated relatively poorly by Intranet users (although most users do not yet have an extensive NC user population), but server-side Java and multi-client Windows support, both significant factors of an NC environment, are rated comparitively well.

Exhibit IV-33

## Satisfaction with Intranet Server Characteristics—Europe





Exhibit IV-34

## **Intranet Server Characteristics in Need of Improvement**

Characteristic	Importance	Satisfaction	Difference
Security	4.3	3.5	-0.8
Performance	4.2	3.6	-0.6
Centralised management	4.1	3.5	-0.6
Support costs	3.8	3.3	-0.5

Source: INPUT



# Future NC and Related Platform Usage and Requirements

#### A

## **Future NC Usage**

#### 1. Expected NC Use by Mid-1998

As presented earlier in this report, the state of current and expected NC usage as of mid-1997 was as follows:


- Currently considering—27%
- Currently using for live applications—2%
- Currently using in a pilot scheme—1%

There appears to be very low likelihood of NCs being used for live applications (as opposed to pilot schemes) by mid-1998. Exhibit V-1 shows responses by rating. Two thirds of respondents gave the lowest likelihood to using NCs for live applications. There was little difference between respondent expectations in the UK, France, or Germany.

Despite this negative response, the NC market is changing extremely rapidly, due primarily to the NC-like features being built into PCs. INPUT expects the actual uptake of thin clients (not delineated by strict architectural definitions, and including NCs, Windows terminals, and NC-like PCs) to be considerably higher than this Exhibit suggests.

Exhibit V-1

Likelihood of NC Use in Live Applications by Mid-1998—Europe




#### 1. Reasons for NC Deployment Decision by Mid-1998

Exhibits V-2 to V-4 illustrate the reasons that respondents in each country gave for not deploying NCs during the period mid-1997 to mid-1998.

Exhibit V-2

## Reasons for Not Deploying NCs by Mid-1998—UK



Four UK respondents gave reasons for deploying NCs by mid-1998:

- The ease with which NCs can be deployed through their outsourcing contract.
- Pilot scheme already underway (stated by two respondents).
- The need to keep up to date with new technology.

A UK respondent (a Scottish discrete manufacturing company) was already using NCs for SAP R/3 access, email, and personnel applications.


Three other UK respondents described their expected uses of NCs by mid-1998:

• Administration and sales.

- Sales and marketing.
- Front desk staff, email, and sales and marketing.

Exhibit V-3

Reasons for Not Deploying NCs by Mid-1998—France




One French respondent gave a reason for deploying NCs by mid-1998:

• The need to install and promote the latest technology due to the nature of the business (telecommunications company)

This user expected NCs to be deployed for factory operations. The other French respondent who stated expected use named internal information access as the expected NC application.

Exhibit V-4

## Reasons for Not Deploying NCs by Mid-1998—Germany



Two German respondents gave reasons for deploying NCs by mid-1998:

- Currently starting an NC trial project, expected to go live during 1998
- NCs would fit well into the company's IT infrastructure and distributed topology

#### B


# **Future Object Model Usage**

Despite the low usage of enterprise-wide object models in mid-1997 (80% of respondents claimed not to have implemented a corporate-wide model), users clearly have high expectations of their adoption in the short term. Exhibit V-5 shows the expected use of the major architectures by mid-1999.

CORBA use is expected to increase by 100%, and COM use by significantly more. A third of users, however, are delaying widespread object deployment until the shape of the NC and Java markets solidifies.

#### Exhibit V-5

## Object Models Expected Mid-1999—Europe



Exhibits V-6 to V-8 show expected object model use by mid-1998 for each country. UK respondents were most cautious, with around half waiting to see the results of NC and Java developments. German respondents were the most emphatic, with around half aiming for a CORBA deployment, equal numbers expecting to use COM or waiting to observe NC/Java developments, and none expecting to ignore the issue of objects.

Exhibit V-6

## **Object Models Expected Mid-1999—UK**




Exhibit V-7

## **Object Models Expected Mid-1999—France**





Exhibit V-8

## **Object Models Expected Mid-1999—Germany**



#### C

#### Influence of Intranet on NC Purchase Decisions


Respondents were asked how much more likely they would be to use NCs if they had an Intranet as opposed to a non-Intranet environment. Responses were mixed—as many respondents gave a high rating (4/5) to the positive influence of an Intranet on their NC purchase decisions as did a low rating (1/2). Exhibit V-9 shows the responses by rating.

INPUT expects the influence that Intranet ownership has on NC purchase decisions to decrease over time, due to the NC-like direction being taken by PCs. This expectation is despite the increasing development of Intranets. While the correlation of NC deployment with Intranet use will rise, this is due to the increase in use of both technologies, not the dependence of one on the other.

This statement is reinforced by respondents' views on the effect NC deployment would have on their IT. As shown in Exhibit V-10, the future scenario of accelerating Intranet use in an NC environment was given a likelihood rating of 3 out of 5. This is middling, as is the finding just discussed.

Exhibit V-9

#### Influence of Intranet on Future NC Purchases—Europe



#### D

## Likelihood of Future NC Scenarios

Respondents were presented with five potential scenarios and asked to rate the expected likelihood of each occurring were NCs to be deployed within their organisation. The scenarios presented were:

- Development and use of Intranets would accelerate
- IT costs overall would increase due to the extra server and network resources required outweighing the lower initial cost of NCs
- You would source hardware and software from a more diverse mix of suppliers
- Use of proprietary platforms (e.g. Windows, AS/400) would decrease in favor of open platforms (e.g. UNIX, Java)
- Your IT environment and its support requirements would become more complex, not less

There is a low perceived likelihood of an increase in IT spending or a change in sourcing due to NCs. Although, in a theoretical Java-based IT environment, client platforms can be technologically diverse, in practice users are most likely to purchase NCs from one source, or through one channel such as an outsourcing contract, due to non-technological, business benefits such as single point of contact for support and service, and high-volume discounting.


The possibilities of acceleration in Intranet use and IT complexity have a medium perceived chance of transpiring. As the previous section shows, the existence of an Intranet has only a medium influence in determining likelihood of purchasing NCs. The same effect in reverse is seen here; NCs and Intranets appear not to be interdependent.

Respondents were considerably more assured of the likelihood of proprietary system usage decreasing in favor of open systems ("open" in this context meaning cross-platform technologies such as UNIX and Java, rather than only technologies controlled by formal standards bodies). All of the vendors controlling the platforms most under threat from this scenario are Internet- and Intranet-enabling their platforms in response, notably Microsoft Windows, Novell Netware, and IBM AS/400.

There was no significant difference between the perceptions of respondents in the UK, France, and Germany and the European average.

Exhibit V-10

## Perceived Likelihood of Future NC Scenarios—Europe



#### E

## **Future Important Server Characteristics**


INPUT asked respondents to describe the technological characteristics which they believed would be most important to their organisation over the next two years. Exhibit V-11 shows the response across all countries; Exhibits V-12 to V-14 show responses for each country.

Most of the top features are operational, not functional—IT managers expect to be able to operate a stable, expandable server platform that is simple to manage, simple to connect to the corporate network/Intranet and the Internet, and that has in-built recovery facilities.

NC support was considered important by only one respondent. However, ten out of 88 respondents rated the likelihood of their using NCs by mid-1998 as high or very high (4 or 5 out of 5 respectively), and 11 respondents rated the likelihood as medium (3 out of 5). This indicates that respondents do not consider server-based NC support as a prerequisite for using NCs.

Exhibit V-11

Server Characteristics of Most Importance By Mid-1999—Europe



#### Exhibit V-12

## Server Characteristics of Most Importance By Mid-1999—UK




Exhibit V-13

## **Server Characteristics of Most Importance By Mid-1999—France**





Exhibit V-14

## Server Characteristics of Most Importance By Mid-1999—Germany





# **Budgets and Costs**

#### Α

# **Overall IT Budgets**


According to the survey, respondents across Europe spend:

- 2.2% of their annual revenues on IT
- US\$3,300 per user per year on IT support

Within IT budgets, the split between purchase costs, support costs and development costs is shown in Exhibit VI-1. NCs have the potential to lower purchase costs, although the decreasing price of PCs is making NCs less attractive in terms of capital investment savings. Where they are installed on a large scale throughout an organization (over 20% of a company's desktop platforms), NCs will affect support costs—end user support costs will decrease, but other aspects of IT support will require greater resources and spending, as discussed in the following sections.

#### Exhibit VI-1

## Breakdown of IT Budgets—Europe



#### В

## **Effect of NC Deployment on IT Costs**

#### 1. End-User Support Costs

NCs are commonly expected to reduce support costs, but the changes in support costs vary widely across the spectrum of IT, from desktop-level end-user support to server and network support.

Exhibit VI-2 shows the proportions of respondents who would expect enduser support costs to increase, decrease and stay the same where NCs are used. As might be expected, most users expect end-user support costs to decrease in NC environments.

Exhibit VI-2

## Expected Net Effect on End User Support Costs With NCs—Europe





Exhibit VI-3 shows details of the amount of change respondents would expect. The most commonly anticipated scenario is that end-user support costs would decrease by up to 40%, with a small number of respondents expecting even greater cost savings.

Exhibit VI-3

## **Expected Detailed Change in End User Support Costs With NCs**




#### 2. Total IT Support Costs

End-user support is the area in which NCs are most commonly expected to lower support costs. The picture is different for other areas of support. Exhibit VI-4 shows the expected change in support costs for all categories of IT from end-user to server and network support.


The Exhibit shows that support costs beyond the desktop are expected, overall, to stay the same or increase. The most striking example of this is in network and communications support: 82% of users expect NCs to increase such costs.

Exhibit VI-4

### **Expected Change in All Support Costs With NCs**



(Blank Page)



# **Buyer Questionnaire**

_	
•	
4	

## Infrastructure

#### 1. Characteristics

1. How many of the following clients does your organisation have

a. Terminals (mainframe, mini or X)

b. PCs or Apple Macs

c. UNIX workstations

d. Other (NAME)

2. Currently, do you have an Intranet? If so, what proportion of your users have access to it?

Yes []

No []

Proportion of users \_\_\_\_\_ %

3.	What is the primary object model in your organ	isation?	
	a. CORBA		
	b. OLE/COM/DCOM []		
	c. No object framework [ ]		
	d. Other (NAME) [ ]		
4.	How important are the following characteristics platform (1=not important, 5=very important)? Intranet, how satisfied are you with each characteristics of the satisfied are you with each characteristics.	If you curre	ntly have an
		Imp.	Sat.
	a. Performance		
	b. Operating system security		
	c. Scalability		
	d. Availability		
	e. Purchase cost		
	f. Support cost		
	g. Ability to support NCs		
	h. Ability to serve Windows applications to		
	non-Windows clients (eg using Citrix ICA)		
	i. OLE/COM/DCOM support		
	j. CORBA support		<del></del>
	k. Server-side Java support	· · · · · · · · · · · · · · · · · · ·	
	l. Centralised application/data management		

5. How important to your organisation are the following characteristics of client platforms in general, and how satisfied are you with your PCs for each characteristic

	Imp.	Sat.
a. Performance		
b. Security		
c. Purchase cost		
d. Support cost		<u> </u>
e. Centralised system management		
f. Centralised application software/data management		
g. Terminal support (e.g. X and 3270)		
h. Mobile working capability		
i. Ease of connection/configuration to network		
i. Ease of use (for end user)		

### 2. Suitability

6. What are your organisation's primary servers? How suitable do you think they are to supporting NCs (1=not suitable, 5=very suitable)? Which do you think is most suitable for NCs, regardless of your usage (TICK ONLY ONE)?

Rotate list	Primaries	Suitability	Most suitable
a. IBM AS/400	[]		[]
b. UNIX server	[]		[]
c. Windows NT server	[]		[]
d. Mainframe	[]		[]
e. Netware server	[]		[]
f. Other (NAME)	[]		[]
	[]		[]

7. What are your organisation's primary databases? How suitable do you think they are to supporting NCs (1=not suitable, 5=very suitable)? Which do you think is most suitable for NCs, regardless of your usage (TICK ONLY ONE)?

Rotate list	Primaries	Suitability	Most suitable
a. Oracle	[]		[]
b. Informix	[]		[]
c. Ingres	[]		[]
d. Sybase	[]		[]
e. db2	[]		[]
f. Access	[]		[]
g. Lotus Notes	[]		[]
h. Other (NAME)	[]		[]
	[]		[]

	Primaries	Suitability	Most suitabl
a. 10Mbps Ethernet	[]		[]
b. 100Mbps Ethernet	[]		[]
c. ATM	[]	<del></del>	[]
d. Token Ring	[]	<del></del>	[]
e. Netware	[]		[]
f. SNA	[]		[]
g. Other (NAME)	[]		[]
	[]	<del></del>	[]
Which type of NC do you (regardless of your inten		•	
a. Java terminal		[]	
	se terminal	[]	
b. Hybrid general-purpo			
<ul><li>b. Hybrid general-purpo</li><li>c. Windows terminal</li></ul>	[]		
	[]	[]	
c. Windows terminal	[]	[]	

likely)?

opposed to a non-Intranet environment (1=no more likely, 5=much more

11.	How suitable do you consider Java as a programming language for corporate use currently (1=not suitable, 5=highly suitable)? How confident are you that it will be suitable two years from now (1=not confident, 5=very confident)?
	a. Currently:
	b. In two years
12.	How suitable do you consider the Java Virtual Machine (JVM) as an platform for deploying and executing corporate applications currently (1=not suitable, 5=highly suitable)? How confident are you that it will be suitable two years from now (1=not confident, 5=very confident)?
	a. Currently
	b. In two years
13.	What do you see as the strengths and weaknesses of PCs for corporate use?
14.	What do you see as the strengths and weaknesses of NCs for corporate use?

3.	Future	
15.	What do you expect to be your primary object model is	n two years time?
	a. CORBA	[]
	b. OLE/COM/DCOM []	
	c. No object framework	[]
	d. Depends on development of NCs/Java/Intranets	[]
	e. Other (NAME)	[]
16.	How likely do you think each of the following scenario introduced NCs into your organisation (1=not at all li	kely, 5=very likely)
	a. Development and use of Intranets would accelerat	e
	b. IT costs overall would increase due to the extra ser resources required outweighing the lower initial cost	
	c. You would source hardware and software from a manufacture suppliers	nore diverse mix of
	d. Use of proprietary platforms (eg Windows, AS/400 favour of open platforms (eg UNIX, Java)	) would decrease in
	e. Your IT environment and its support requirements complex, not less	s would become more
17.	What technological characteristics of servers do you e important to your organisation over the next two year	•

	_	
9	ß	p
н	=	Б

# Support

18.	How many full-time (or full-time equivalent) support perhave in order to support all your IT users (eg, two half-		•
	time)?	ume – one i	iuii-
	<del></del>		
19.	Please estimate how much you spend on IT support per	user per ye	ear
	[currency]		
20.	If NCs were to be introduced into your organisation, by think your IT support cost per end user would change (		do you
	%		
21.	How do you think widespread NC usage in your organischange costs in the following support areas (state as $\%$ each item. Eg: -10 $\%$ = 10 $\%$ saving on that cost per end	of cost per 1	
	a. Client hardware support	+/-	%
	b. Client system software support	+/	%
	c. Client application software support	+/	%
	d. Server hardware support +/	%	
	e. Server system software support (not database)+/	%	
	f. Server application software support (e.g. database)	+/	%
	g. Network/comms support	+/	. %
	h. End user education and training	+/	%
	i. In-house software development	+/	%

i	٢	•	
۱	L		

# Usage

22.	What is the current state of NC use within your organis ONLY ONE)	ation? (TICK
	a. Not using and not considering using or piloting NCs	[]
	b. Have considered and rejected using or piloting NCs	[]
	c. Currently considering using or piloting NCs	[]
	d. Currently running an NC pilot	[]
	e. Already using NCs for live applications users	[] No of NC
23.	How many IT users are there in your organisation (in to these do you think could be converted in theory to NCs of their work?	
	a. IT users:	
	b. Could be NC users:	
24.	How likely is your organisation to use NCs for live applipilots) one year from now? (1=not likely, 5=very likely)	cations (not just
	What are the main reasons for this?	
	IF RESPONDENT STATED 3, 4 OR 5 — what departm application is most likely to use NCs?. E.g. call center, o users	

25.	How suited are the following department 5=highly suited)?	ts to using NCs (1=not suited,	
	a. Sales	·	
	b. Marketing		
	c. Customer service		
	d. Call centre/help desk		
	e. Product development / R&D		
	f. Human resources		
	g. Administration		
	h. Corporate management		
	i. Finance		
	j. IS		
	k. Logistics / distribution		
	l. Other (NAME)		
26.	How suitable do you think the following applications are to NCs (1=not suited, 5=highly suited)?		
	a. Collaboration (eg groupware, messagi	ing, workflow)	
	b. Office applications (eg wp, spreadshee	et)	
	c. ERP (e.g. SAP, Baan)		
	d. Content creation / design (eg publishi	ng, graphics)	
	e. Financial (eg analysis, accounting, mo	odelling)	
	f. Scientific / engineering		
	g. Other (NAME)		
	h. Other (NAME)		

27.	costs, and 3) development costs. (TOTAL MUST ADD UP TO 100%)					
	1) Purchase costs		2) Support costs			
	1a. Client hw/sw	_%	2a. Client hw/sw	%		
	1c. Server hw/sw	%	2c. Server hw/sw	%		
	1e. Networks/comms	%	2e. Networks/comms	%		
			2f. End user training	. %		
	1f. Other	_%	2g. Other	%		
	(No need to name "other")		(No need to name "other")			
	3) Development costs					
	3a. In-house software development		%			
	3b. Other		%			
	(No need to name "other")					
28. How much is your total IT budget for the current year?						
[currency]						



